

LUXAN K 261

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000646	Date of first issue: 10.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: LUXAN K 261
Product code	: 022408SG0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe
	dust.

CECKART

according to Regulation (EC) No. 1907/2006

LUXAN K 261

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000646	Date of first issue: 10.01.2014

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous c	omponents
-------------	-----------

Remarks :	No hazardous ingredients
-----------	--------------------------

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Foam Carbon dioxide (CO2) ABC powder		
5.2 Special hazards arising from the substance or mixture				

5.2 Special flazarus ansing from the substance t

5.3 Advice for firefighters

Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if
for firefighters		necessary.

SAFETY DATA SHEET



_

according to Regulation (EC) No. 1907/2006

LUXAN K 261

Version 3.1	Revision Date: 09.03.2022	SDS Number: 10200000646		Print Date: 11.03.2022 Date of first issue: 10.01.2014		
Further information		Use extinguishing		ure for chemical fires. g measures that are appropriate to local nd the surrounding environment.		
SECTION 6: Accidental release measures						
6.1 Perso	6.1 Personal precautions, protective equipment and emergency procedures					
Perso	onal precautions	:	Avoid dust format	tion.		
6.2 Environmental precautions						
Envir	onmental precautions	:	No special enviro	nmental precautions required.		
6.3 Methods and material for containment and cleaning up						
Meth	ods for cleaning up	:	Sweep up and sh	nge disposal without creating dust. lovel. closed containers for disposal.		
6.4 Refere	ence to other sections					

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :		:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.	
	Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.	
	Hygiene measures	:	General industrial hygiene practice.	
7.2	Conditions for safe storage, in Requirements for storage areas and containers		uding any incompatibilities Electrical installations / working materials must comply with the technological safety standards.	
	Advice on common storage	:	No materials to be especially mentioned.	
	Further information on storage stability	:	Keep in a dry place. No decomposition if stored and applied as directed.	

7.3 Specific end use(s)

This information is not available.



LUXAN K 261

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000646	Date of first issue: 10.01.2014

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67- 7	TWA (inhalable dust)	10 mg/m3	GB EH40
Further information	those fraction undertaken General mer thoracic and hazardous tr concentration inhalable du any dust will these levels to these mur contain part fate of any p and the bod particle. HSI termed 'inha fraction of a and is there dust approx of the lung. MDHS14/4 WEL, all the short-term e	In accordance with t in accordance with t thods for sampling a l inhalable aerosols o health includes due on in air equal to or g st or 4 mg.m-3 8-ho be subject to COSH. Some dusts have to st comply with the ap icles of a wide range particular particle after y response that it eli E distinguishes two stable' and 'respirable inborne material that fore available for dep imates to the fraction Fuller definitions and Where dusts contain relevant limits shou	respirable dust and inhalable which will be collected when the methods described in MD and gravimetric analysis or re The COSHH definition of a st of any kind when present a reater than 10 mg.m-3 8-hou ur TWA of respirable dust. The H if people are exposed to be performed and specific WELs optimistic wells and the specific wells of sizes. The behaviour, dep er entry into the human respira- cits, depend on the nature are size fractions for limit-setting e'., Inhalable dust approximal enters the nose and mouth of the penetrates to the gas effect a explanatory material are given n components that have the d be complied with., Where d, a figure three times the lor 10 mg/m3	sampling is HS14/4 spirable, substance at a ur TWA of his means that dust above and exposure trial dusts bosition and ratory system, hd size of the purposes tes to the during breathing ct. Respirable exchange region ven in r own assigned no specific
Further information	any kind wh mg.m-3 8-hd dust. This m exposed to d specific WE limits., When	I definition of a subs en present at a conc our TWA of inhalable leans that any dust v dust above these lev Ls and exposure to t	tance hazardous to health in entration in air equal to or gr dust or 4 mg.m-3 8-hour TV vill be subject to COSHH if p els. Some dusts have been hese must comply with the a erm exposure limit is listed, a	eater than 10 VA of respirable eople are assigned ppropriate
		TWA (Respirable dust)	4 mg/m3	GB EH40
Further information	those fractic undertaken General me thoracic and hazardous t	ns of airborne dust v in accordance with t thods for sampling a l inhalable aerosols. o health includes dua	respirable dust and inhalabl which will be collected when he methods described in MD nd gravimetric analysis or re The COSHH definition of a st of any kind when present a reater than 10 mg.m-3 8-hou	sampling is HS14/4 spirable, substance at a

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXAN K 261

ersion 1	Revision Date: 09.03.2022	SDS Number: 102000000646		int Date: 11.03.2022 Ite of first issue: 10.01.2014	L
	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	any dust will be subject these levels. Some dus to these must comply w contain particles of a wi fate of any particular particular particular particular particular particular particular particular body response particle. HSE distinguist termed 'inhalable' and 'n fraction of airborne mate and is therefore availab dust approximates to th pof the lung. Fuller defini MDHS14/4., Where dust WEL, all the relevant lin	to COSH ts have to ith the ap de range rticle after that it eli nes two s respirable erial that le for dep e fraction tions and tis containits shou it is lister	ur TWA of respirable dust. H if people are exposed to been assigned specific WEL propriate limits., Most indu e of sizes. The behaviour, d er entry into the human resp cits, depend on the nature a size fractions for limit-settin e'., Inhalable dust approxim enters the nose and mouth position in the respiratory tr in that penetrates to the gas d explanatory material are g in components that have th ld be complied with., Where d, a figure three times the lo	dust above s and exposure strial dusts eposition and biratory system, and size of the g purposes ates to the during breathing act. Respirable exchange region iven in eir own assigned e no specific ong-term
		TWA (Res fraction)	pirable	4 mg/m3	GB EH40
Furth	2 1 0 1 1	any kind when present a mg.m-3 8-hour TWA of dust. This means that a exposed to dust above specific WELs and expo	at a cond inhalable ny dust v these lev osure to t ic short-t	tance hazardous to health entration in air equal to or g dust or 4 mg.m-3 8-hour 1 will be subject to COSHH if rels. Some dusts have beer hese must comply with the erm exposure limit is listed, hit should be used.	greater than 10 WA of respirable people are assigned appropriate

Porsonal protective equipment

Personal protective equipment						
Eye protection	:	Safety glasses				
Skin and body protection	:	Protective suit				
Respiratory protection	:	No personal respiratory protective equipment normally required.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: powder
Colour	: gold
Odour	: characteristic
Odour Threshold	: No data available
рН	: substance/mixture is non-soluble (in water)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXAN K 261

Versic 3.1	on	Revision Date: 09.03.2022		S Number: 000000646	Print Date: 11.03.2022 Date of first issue: 10.01.2014
_					
	reezin			No data available)
B	Boiling p	point/boiling range	:	2,501 °C	
F	lash po	pint	:	No data available)
E	Evapora	ation rate	:	No data available)
F	lamma	bility (solid, gas)	:	No data available)
S	Self-ign	ition	:	No data available	
A	Auto-igr	nition temperature	:	No data available)
S	Smolde	ring temperature	:	No data available)
C	Decomp	position temperature	:	No data available)
E	Explosiv	ve properties	:	No data available)
C	Dxidizin	g properties	:	No data available	
		xplosion limit / Upper pility limit	:	No data available	9
		xplosion limit / Lower pility limit	:	No data available	
V	/apour	pressure	:	No data available	9
F	Relative	vapour density	:	No data available)
R	Relative	edensity	:	No data available)
C	Density		:	2.54 - 2.7 g/cm3	
B	Bulk dei	nsity	:	0.27 - 0.53 g/cm3	3
V	Vater s	olubility	:	No data available)
S	Solubilit	y in other solvents	:	No data available)
	Partition	n coefficient: n- water	:	No data available	
C	Decomp	position temperature	:	No data available)
V	/iscosit	y, dynamic	:	No data available)
V	/iscosit	y, kinematic	:	No data available)
F	low tim	ie	:	No data available	



LUXAN K 261

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000000646	
5.1	09.03.2022	10200000040	Date of first issue: 10.01.2014

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

Contact with water or humid : This information is not available. air

Thermal decomposition : This information is not available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



LUXAN K 261

Revision Date: 09.03.2022	SDS Number: 102000000646	Print Date: 11.03.2022 Date of first issue: 10.01.2014
cell mutagenicity assified based on ava	ailable information.	
nogenicity assified based on ava	ailable information.	
oductive toxicity assified based on ava	ailable information.	
- single exposure assified based on ava	ailable information.	
• •		
ation toxicity assified based on ava	ailable information.	
er information		
<u>uct:</u> arks: No data availabl	е	
	09.03.2022 cell mutagenicity assified based on av nogenicity assified based on av oductive toxicity assified based on av - single exposure assified based on av - repeated exposur assified based on av assified based on av er information <u>uct:</u>	09.03.2022 10200000646 cell mutagenicity assified based on available information. nogenicity assified based on available information. oductive toxicity assified based on available information. - single exposure assified based on available information. - repeated exposure assified based on available information. ation toxicity assified based on available information. er information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological	:	No data available
information		



LUXAN K 261

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000646	Date of first issue: 10.01.2014

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

- :
- Not classified as dangerous in the meaning of transport regulations.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable	
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable	



LUXAN K 261

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of other abbreviations

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the



LUXAN K 261

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000646	Date of first issue: 10.01.2014

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN