

according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	SYMIC OEM MEDIUM BLUE
Product code	:	035637MJ0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe
	dust.



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No.	Classification REGULATION (EC)	Concentration (% w/w)	
	Index-No.	No 1272/2008	(/0 11/11)	
	Registration number			
Substances with a workplace ex	Substances with a workplace exposure limit :			
Fluorphlogopite	12003-38-2		>= 50 - <= 100	
(Mg3K[AIF2O(SiO3)3])	234-426-5			
	01-2119971065-37			
For explanation of abbreviations see section 16.				

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.	
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	:	Wash off with soap and water.	
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.	
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam

Carbon dioxide (CO2)



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version 3.1	Revision Date: 09.03.2022		DS Number: 2000025106	Print Date: 11.03.2022 Date of first issue: 14.11.2016
			ABC powder	
5.2 Speci	al hazards arising from	n the	e substance or n	nixture
5.3 Advic	e for firefighters			
	ial protective equipment efighters	:	Wear self-conta necessary.	ined breathing apparatus for firefighting if
Furth	er information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
SECTIO	N 6: Accidental relea	se i	neasures	
6.1 Perso	nal precautions, protee	ctiv	e equipment and	l emergency procedures
Perso	onal precautions	:	Avoid dust form	ation.
	onmental precautions			
	onmental precautions	•		ronmental precautions required.
6.3 Metho	ods and material for co	ntai	nment and clear	ning up
	ods for cleaning up	:	Pick up and arra Sweep up and s	ange disposal without creating dust.
6.4 Refere	ence to other sections			
SECTION	N 7: Handling and sto	orag	ge	
7.1 Preca	utions for safe handlin	a		
	e on safe handling	:		ptection see section 8. g and drinking should be prohibited in the l.
	e on protection against nd explosion	:	: Provide appropriate exhaust ventilation at places where dust is formed.	
Hygie	ene measures	:	: General industrial hygiene practice.	
Requ	tions for safe storage, irements for storage s and containers	inc :	Electrical install	npatibilities ations / working materials must comply with al safety standards.
Advid	ce on common storage	:	No materials to	be especially mentioned.
C	or information on		Kana in a durind	lass. No decomposition if stored and applied



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

storage stability

as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Fluorphlogopite (Mg3K[AIF2O(SiO3) 3])	12003-38- 2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
Further information	Indicative			
titanium dioxide	13463-67- 7	TWA (inhalable dust)	10 mg/m3	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in 			sampling is DHS14/4 espirable, substance at a ur TWA of his means that dust above s and exposure strial dusts position and iratory system, nd size of the purposes ates to the during breathing ct. Respirable exchange region ven in ir own assigned no specific ng-term
	T I 000111			• = = •
Further information	any kind wh mg.m-3 8-hd dust. This m exposed to specific WE limits., When	en present at a conc our TWA of inhalable leans that any dust v dust above these lev Ls and exposure to t	tance hazardous to health ir entration in air equal to or g dust or 4 mg.m-3 8-hour TV vill be subject to COSHH if p rels. Some dusts have been hese must comply with the a erm exposure limit is listed, a hit should be used.	reater than 10 WA of respirable beople are assigned appropriate



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

	TWA (Respirable 4 mg/m3 dust)	GB EH40
Further information	For the purposes of these limits, respirable those fractions of airborne dust which will be undertaken in accordance with the method General methods for sampling and graving thoracic and inhalable aerosols., The COS hazardous to health includes dust of any k concentration in air equal to or greater that inhalable dust or 4 mg.m-3 8-hour TWA of any dust will be subject to COSHH if people these levels. Some dusts have been assig to these must comply with the appropriate contain particles of a wide range of sizes. fate of any particular particle after entry int and the body response that it elicits, deper particle. HSE distinguishes two size fraction termed 'inhalable' and 'respirable'., Inhalab fraction of airborne material that enters the and is therefore available for deposition in dust approximates to the fraction that pene of the lung. Fuller definitions and explanate MDHS14/4., Where dusts contain compon WEL, all the relevant limits should be comp short-term exposure limit is listed, a figure exposure limit should be used.	be collected when sampling is as described in MDHS14/4 etric analysis or respirable, HH definition of a substance ind when present at a n 10 mg.m-3 8-hour TWA of respirable dust. This means that e are exposed to dust above ned specific WELs and exposure limits., Most industrial dusts The behaviour, deposition and o the human respiratory system, nd on the nature and size of the ns for limit-setting purposes ble dust approximates to the e nose and mouth during breathing the respiratory tract. Respirable etrates to the gas exchange region ory material are given in ents that have their own assigned olied with., Where no specific three times the long-term
	TWA (Respirable 4 mg/m3 fraction)	GB EH40
Further information	The COSHH definition of a substance haza any kind when present at a concentration i mg.m-3 8-hour TWA of inhalable dust or 4 dust. This means that any dust will be subj exposed to dust above these levels. Some specific WELs and exposure to these must limits., Where no specific short-term expose times the long-term exposure limit should be	n air equal to or greater than 10 mg.m-3 8-hour TWA of respirable ect to COSHH if people are dusts have been assigned t comply with the appropriate sure limit is listed, a figure three

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Respiratory protection	:	No personal respiratory protective equipment normally required.



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

3.1 09.03.2022 102000025106 Date of first issue: 14.11.2016	Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
	3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

SECTION 9: Physical and chemical properties

9.1	Information on basic physical a Appearance		d chemical properties powder
	Colour	:	blue
	Odour	:	characteristic
	Odour Threshold	:	No data available
	рН	:	substance/mixture is non-soluble (in water)
	Freezing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flash point	:	No data available
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	Will not burn
	Self-ignition	:	No data available
	Auto-ignition temperature	:	No data available
	Smoldering temperature	:	No data available
	Decomposition temperature	:	No data available
	Explosive properties	:	No data available
	Oxidizing properties	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	No data available
	Relative vapour density	:	No data available
	Relative density	:	No data available
	Density	:	No data available



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Vers 3.1	sion	Revision Date: 09.03.2022	SDS Number: 102000025106	Print Date: 11.03.2022 Date of first issue: 14.11.2016
	Bulk de	nsity	: No data available	e
	Solubili Wat	ty(ies) er solubility	: insoluble	
	Solubili	ty in other solvents	: No data available	e
	Partition octanol	n coefficient: n- /water	: No data available	e
	Decom	position temperature	: No data available	e
	Viscosi	ty, dynamic	: No data available	e
	Viscosi	ty, kinematic	: No data available	e
	Flow tir	ne	: No data available	e

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

 Hazardous reactions
 : Stable under recommended storage conditions.

 No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

Contact with water or humid : This information is not available. air

Thermal decomposition : This information is not available.



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product: Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential

No data available



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date: 09.03.2022	SDS Number:	Print Date: 11.03.2022
3.1		102000025106	Date of first issue: 14.11.2016

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological	:	No data available
information		

:

Components:

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Additional ecological : No data available information

:

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of other abbreviations

2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System;



according to Regulation (EC) No. 1907/2006

SYMIC OEM MEDIUM BLUE

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000025106	Date of first issue: 14.11.2016

GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN