

according to Regulation (EC) No. 1907/2006

# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name	:	LUXAN CFX B001
Product code	:	038074ML0

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	
Substance/Mixture	

# : Colouring agents, pigments

# 1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

### **1.4 Emergency telephone number**

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

# Additional Labelling

EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe
	dust.



according to Regulation (EC) No. 1907/2006

# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No.	Classification REGULATION (EC) No 1272/2008	Concentration (% w/w)
	Registration number		
Substances with a workplace exp	osure limit :		
tin dioxide	18282-10-5 242-159-0		>= 1 - < 10
For explanation of abbreviations	see section 16	•	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed


This information is not available.

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Foam

Carbon dioxide (CO2)





# LUXAN CFX B001

Version 3.1	Revision Date: 09.03.2022		0S Number: 2000000641	Print Date: 11.03.2022 Date of first issue: 10.01.2014
			ABC powder	
5.2 Speci	al hazards arising from	n the	e substance or n	nixture
5.3 Advic	e for firefighters			
	ial protective equipment efighters	:	Wear self-conta necessary.	ined breathing apparatus for firefighting if
Furth	er information	:	Use extinguishi	dure for chemical fires. ng measures that are appropriate to local and the surrounding environment.
SECTIO	N 6: Accidental relea	<u> </u>	maggurag	
	-	ctiv		l emergency procedures
Pers	onal precautions	:	Avoid dust form	ation.
6 2 Envir	onmental precautions			
	onmental precautions		No special envi	ronmental precautions required.
	·		·	
6.3 Metho	ods and material for co	ntai	nment and clear	ning up
Meth	ods for cleaning up	:	Sweep up and s	ange disposal without creating dust. shovel. e, closed containers for disposal.
6.4 Refer	ence to other sections			
SECTIO	N 7: Handling and sto	orag	ge	
74 Drees	utions for onfo hondlin			
	utions for safe handlin ce on safe handling	ig :		otection see section 8. g and drinking should be prohibited in the l.
	ce on protection against nd explosion	:	Provide appropis formed.	riate exhaust ventilation at places where dust
Hygi	ene measures	:	General industr	ial hygiene practice.
Requ	itions for safe storage, uirements for storage s and containers	inc :	Electrical instal	<b>npatibilities</b> ations / working materials must comply with al safety standards.
Advie	ce on common storage	:	No materials to	be especially mentioned.

Further information on : Keep in a dry place. No decomposition if stored and applied



according to Regulation (EC) No. 1907/2006

# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

storage stability

as directed.

# 7.3 Specific end use(s)

This information is not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67- 7	TWA (inhalable dust)	10 mg/m3	GB EH40
Further information	those fractic undertaken General me thoracic and hazardous t concentratic inhalable du any dust will these levels to these mu contain part fate of any p and the bod particle. HSI	Ins of airborne dust y in accordance with t thods for sampling a l inhalable aerosols o health includes du in in air equal to or g st or 4 mg.m-3 8-ho be subject to COSH . Some dusts have b st comply with the ap icles of a wide range particular particle after y response that it eli E distinguishes two	respirable dust and inhalab which will be collected when he methods described in ME nd gravimetric analysis or re , The COSHH definition of a st of any kind when present reater than 10 mg.m-3 8-ho ur TWA of respirable dust. T H if people are exposed to been assigned specific WELs opropriate limits., Most indus e of sizes. The behaviour, de er entry into the human resp cits, depend on the nature a size fractions for limit-setting	sampling is DHS14/4 espirable, substance at a ur TWA of his means that dust above s and exposure strial dusts position and iratory system, nd size of the
	fraction of a and is there dust approx of the lung. MDHS14/4., WEL, all the short-term e	irborne material that fore available for dep imates to the fraction Fuller definitions and Where dusts contai relevant limits shou xposure limit is listen nit should be used.	e'., Inhalable dust approximation enters the nose and mouth position in the respiratory train that penetrates to the gas d explanatory material are given and components that have the ld be complied with., Where d, a figure three times the lo	ates to the during breathing lot. Respirable exchange region ven in ir own assigned no specific ng-term
	fraction of a and is there dust approx of the lung. MDHS14/4. WEL, all the short-term e exposure lin	irborne material that fore available for dep imates to the fraction Fuller definitions and Where dusts contai relevant limits shou xposure limit is lister nit should be used. TWA (Inhalable)	enters the nose and mouth position in the respiratory tra- n that penetrates to the gas d explanatory material are gi in components that have the ld be complied with., Where d, a figure three times the lo	ates to the during breathing lot. Respirable exchange region ven in ir own assigned no specific ng-term GB EH40
Further information	fraction of a and is there dust approx of the lung. MDHS14/4., WEL, all the short-term e exposure lin The COSHI any kind wh mg.m-3 8-he dust. This m exposed to o specific WE limits., When	irborne material that fore available for dep mates to the fraction Fuller definitions and Where dusts contai relevant limits shou xposure limit is listen it should be used. TWA (Inhalable) I definition of a subs en present at a contour the the the the the the part of the	enters the nose and mouth position in the respiratory tra- that penetrates to the gas of d explanatory material are gi in components that have the ld be complied with., Where d, a figure three times the lo <u>10 mg/m3</u> tance hazardous to health in centration in air equal to or g dust or 4 mg.m-3 8-hour The vill be subject to COSHH if p rels. Some dusts have been these must comply with the a erm exposure limit is listed,	Ates to the during breathing let. Respirable exchange region ven in ir own assigned no specific ng-term GB EH40 Includes dust of reater than 10 WA of respirable beople are assigned appropriate
Further information	fraction of a and is there dust approx of the lung. MDHS14/4., WEL, all the short-term e exposure lin The COSHI any kind wh mg.m-3 8-he dust. This m exposed to o specific WE limits., When	irborne material that fore available for dep mates to the fraction Fuller definitions and Where dusts contai relevant limits shou xposure limit is listen it should be used. TWA (Inhalable) I definition of a subs en present at a contour the function of a subs en present at a contour the function of a subs en present at a contour bur TWA of inhalable ust above these level and exposure to the re no specific short-t	enters the nose and mouth position in the respiratory tra- that penetrates to the gas of d explanatory material are gi in components that have the ld be complied with., Where d, a figure three times the lo <u>10 mg/m3</u> tance hazardous to health in centration in air equal to or g dust or 4 mg.m-3 8-hour The vill be subject to COSHH if p rels. Some dusts have been these must comply with the a erm exposure limit is listed,	Ates to the during breathing let. Respirable exchange region ven in ir own assigned no specific ng-term GB EH40 Includes dust of reater than 10 WA of respirable beople are assigned appropriate

according to Regulation (EC) No. 1907/2006



# LUXAN CFX B001

sion	Revision Date: 09.03.2022		Number: 000000641		nt Date: 11.03.2022 te of first issue: 10.01		
		General me thoracic and hazardous t concentratio inhalable du any dust wil these levels to these mu contain part fate of any p and the bod particle. HS termed 'inha fraction of a and is there dust approx of the lung. MDHS14/4. WEL, all the short-term e	thods for samp d inhalable aero o health include on in air equal to st or 4 mg.m-3 l be subject to 0 . Some dusts h st comply with icles of a wide particular partic y response tha E distinguishes alable' and 'resp irborne materia fore available for imates to the fr Fuller definition , Where dusts of a relevant limits exposure limit is	ling an psols., es dus o or gi 8-hou COSH have b the ap range le afte t it elic t ti elic t two s pirable l that or dep action his and contain shoul s listed	he methods described and gravimetric analys The COSHH definition of any kind when pre- reater than 10 mg.m- ar TWA of respirable H if people are expos- een assigned specifie propriate limits., Mos- of sizes. The behavior of sizes. The behavior rentry into the huma- sits, depend on the na- cits, depend on the na- cits, depend on the na- cits, landalable dust app enters the nose and bosition in the respira- that penetrates to the explanatory material in components that has d be complied with., d, a figure three times	sis or respirate on of a substa- resent at a 3 8-hour TW. dust. This me sed to dust a c WELs and of a industrial dr our, deposition ature and size setting purpo- proximates to mouth during tory tract. Re- ne gas exchar l are given in ave their own Where no sp	A of eans th bove exposu usts on and system e of the oses the breath spirabl nge reg
		exposure in	nit should be us TWA (Respira fraction)		4 mg/m3	GB	EH40
	er information	any kind wh mg.m-3 8-h dust. This m exposed to specific WE limits., Whe	I definition of a en present at a our TWA of inh- neans that any o dust above the Ls and exposu- re no specific s	i conc alable dust w se lev re to tl hort-te	ance hazardous to h entration in air equal dust or 4 mg.m-3 8- ill be subject to COS els. Some dusts have hese must comply wi erm exposure limit is it should be used.	to or greater hour TWA of HH if people been assigr th the approp listed, a figur	than 1 respira are ned priate re three
tin dic	oxide	18282-10- 5	TWA		2 mg/m3 (Tin)	91/3	322/EE
Furthe	er information	Indicative, E limited	xisting scientifi	c data	a on health effects ap	pear to be pa	articula
			TWA		2 mg/m3 (Tin)		EH40
			STEL		4 mg/m3 (Tin)	GB	EH40

Eye protection	: Safety glasses
Skin and body protection	: Protective suit
Respiratory protection	: No personal respiratory protective equipment normally required.



according to Regulation (EC) No. 1907/2006


# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance	: powder
Colour	: silver
Odour	: characteristic
Odour Threshold	: No data available
рН	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Will not burn
Self-ignition	: No data available
Auto-ignition temperature	: No data available
Smoldering temperature	: No data available
Decomposition temperature	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 2.5 - 3.0 g/cm3
Bulk density	: 0.33 - 0.54 g/cm3
Water solubility	: No data available





# LUXAN CFX B001

Version 3.1	Revision Date: 09.03.2022	SDS Number: 102000000641	Print Date: 11.03.2022 Date of first issue: 10.01.2014
Solu	bility in other solvents	: No data availab	le
	tion coefficient: n- nol/water	: No data availab	le
Deco	omposition temperature	: No data availab	le
Visco	osity, dynamic	: No data availab	le
Visco	osity, kinematic	: No data availab	le
Flow	time	: No data availab	le
	<b>information</b> ata available		

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

#### 10.5 Incompatible materials

# **10.6 Hazardous decomposition products**

Contact with water or humid : This information is not available. air

Thermal decomposition : This information is not available.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

# Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation Not classified based on available information.

# Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

# STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

Remarks: No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

### Product:



according to Regulation (EC) No. 1907/2006

# LUXAN CFX B001

Versior 3.1	n Revision Date: 09.03.2022		DS Number: 02000000641	Print Date: 11.03.2022 Date of first issue: 10.01.2014
As	sessment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
	ther adverse effects			
Ac	oduct: Iditional ecological formation	: No data available		
SECTION 13: Disposal considerations				
	aste treatment methods ontaminated packaging	:	Empty containers	s should be taken to an approved waste

handling site for recycling or disposal.

# SECTION 14: Transport information

# 14.1 UN number

Not regulated as a dangerous good

# 14.2 UN proper shipping name

Not regulated as a dangerous good

# 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

:

Not applicable for product as supplied.



according to Regulation (EC) No. 1907/2006

# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable	
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable	

#### 15.2 Chemical safety assessment

### **SECTION 16: Other information**

### Full text of other abbreviations

91/322/EEC	:	Europe. Commission Directive 91/322/EEC on establishing indicative limit values
GB EH40 91/322/EEC / TWA GB EH40 / TWA GB EH40 / STEL	:	UK. EH40 WEL - Workplace Exposure Limits Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008: CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test



# LUXAN CFX B001

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	10200000641	Date of first issue: 10.01.2014

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN