according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Version	Revision Date:	SDS Number:	Print Date: 22.02.2022
2.0	05.12.2019	10200000636	Date of first issue: 10.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Kalkstein/Aluminium Mischung Type RO 260

Product code : 040534E50

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.3 Other hazards

Combustible Solids

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Version	Revision Date:	SDS Number:	Print Date: 22.02.2022
2.0	05.12.2019	10200000636	Date of first issue: 10.01.2014

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC)	(% w/w)
	Index-No.	No 1272/2008	
	Registration number		
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	< 10
	231-072-3		
	01-2119529243-45		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed


None known.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	ABC powder Carbon dioxide (CO2) Water Foam





Kalkstein/Aluminium Mischung Type RO 260

Version 2.0	Revision Date: 05.12.2019		DS Number: 2000000636	Print Date: 22.02.2022 Date of first issue: 10.01.2014
	al hazards arising from fic hazards during hting	the :	_	xture er liberates extremely flammable gas
5.3 Advice for firefighters Special protective equipment for firefighters		:	Wear self-contain necessary.	ed breathing apparatus for firefighting if
Furth	er information	:	Use extinguishing	ure for chemical fires. I measures that are appropriate to local I the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Evacuate personnel to safe areas.
		Avoid dust formation.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Use mechanical handling equipment. Do not use a vacuum cleaner.
	Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :	Avoid dust formation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Store away from heat.
	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.





Kalkstein/Aluminium Mischung Type RO 260

Versio 2.0	n Revision Date: 05.12.2019		DS Number: 2000000636	Print Date: 22.02.2022 Date of first issue: 10.01.2014
H	ygiene measures	:	General industrial	hygiene practice.
7.2 Conditions for safe storage, Requirements for storage areas and containers		incl :		ions / working materials must comply with
	urther information on orage conditions	:	Protect from hum	idity and water.
A	dvice on common storage	:	Never allow productors storage. Keep away from the storage of the	ther with oxidizing and self-igniting products. Let to get in contact with water during oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions.
	urther information on orage stability	:	Keep in a dry plac as directed.	ce. No decomposition if stored and applied

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
Further information	those fractic undertaken General me thoracic and hazardous t concentratic inhalable du any dust will these levels to these mu contain part fate of any p and the bod particle. HSI termed 'inha fraction of a and is there dust approx of the lung.	boses of these limits, ons of airborne dust v in accordance with th thods for sampling a l inhalable aerosols, o health includes dus on in air equal to or g st or 4 mg.m-3 8-hou l be subject to COSH . Some dusts have b st comply with the ap icles of a wide range particular particle after y response that it eli E distinguishes two s alable' and 'respirable irborne material that fore available for dep imates to the fraction Fuller definitions and	respirable dust and inhala which will be collected whe he methods described in M nd gravimetric analysis or The COSHH definition of a st of any kind when preser reater than 10 mg.m-3 8-h ur TWA of respirable dust. H if people are exposed to been assigned specific WE opropriate limits., Most indu- of sizes. The behaviour, of er entry into the human res- cits, depend on the nature size fractions for limit-settin e., Inhalable dust approxim enters the nose and mout position in the respiratory to that penetrates to the gas d explanatory material are n components that have th	In sampling is IDHS14/4 respirable, a substance at at a our TWA of This means that o dust above Ls and exposure ustrial dusts deposition and piratory system, and size of the of purposes nates to the h during breathing ract. Respirable s exchange region given in

according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Version	Revision Date:	SDS Number:	Print Date: 22.02.2022
2.0	05.12.2019	102000000636	Date of first issue: 10.01.2014
2.0	03.12.2019	102000000000000000000000000000000000000	Date of first issue: 10.01.2014

	WEL, all the relevant limits show						
	short-term exposure limit is listed, a figure three times the long-term						
	exposure limit should be used.						
	TWA (Respirable dust)	4 mg/m3	GB EH40				
Further information	For the purposes of these limits	, respirable dust and inhalabl	e dust are				
	those fractions of airborne dust undertaken in accordance with						
	General methods for sampling a thoracic and inhalable aerosols						
	hazardous to health includes du						
	concentration in air equal to or	greater than 10 mg.m-3 8-hou	ır TWA of				
	inhalable dust or 4 mg.m-3 8-ho	our TWA of respirable dust. T	his means that				
	any dust will be subject to COS						
	these levels. Some dusts have						
	to these must comply with the a						
	contain particles of a wide range fate of any particular particle aff						
	and the body response that it el						
	particle. HSE distinguishes two						
	termed 'inhalable' and 'respirab						
	fraction of airborne material that						
	and is therefore available for de						
	dust approximates to the fraction						
	of the lung. Fuller definitions an						
	MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific						
		short-term exposure limit is listed, a figure three times the long-term					
	exposure limit should be used.		0				
aluminium powder (stabilised)	7429-90-5 TWA (Inhalable)	10 mg/m3	GB EH40				
Further information	The COSHH definition of a sub						
	any kind when present at a con						
	mg.m-3 8-hour TWA of inhalabl	5					
	dust. This means that any dust exposed to dust above these le						
	specific WELs and exposure to						
	limits., Where no specific short-						
	times the long-term exposure li						
	TWA	4 mg/m3	GB EH40				
	(Respirable)	_					
Further information	The COSHH definition of a sub						
	any kind when present at a con						
	mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are						
	exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate						
	limits., Where no specific short-term exposure limit is listed, a figure three						
	times the long-term exposure lin		5				
	TWA (inhalable dust)	10 mg/m3	GB EH40				
Further information	For the purposes of these limits	, respirable dust and inhalabl	e dust are				

according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Version 2.0	Revision Date: 05.12.2019	SDS Number: 10200000636	Print Date: 22.02.202 Date of first issue: 10.	
		those fractions of airborne undertaken in accordance General methods for samp thoracic and inhalable aero hazardous to health include concentration in air equal to inhalable dust or 4 mg.m-3 any dust will be subject to 0 these levels. Some dusts h to these must comply with contain particles of a wide fate of any particular partic and the body response tha particle. HSE distinguishes termed 'inhalable' and 'resp fraction of airborne materia and is therefore available for dust approximates to the fr of the lung. Fuller definition MDHS14/4., Where dusts of WEL, all the relevant limits short-term exposure limit is	with the methods describ ling and gravimetric anal pools, The COSHH definit es dust of any kind when o or greater than 10 mg.r 8-hour TWA of respirabl COSHH if people are exp ave been assigned spect the appropriate limits., M range of sizes. The behat le after entry into the hur t it elicits, depend on the two size fractions for lim- birable'., Inhalable dust a l that enters the nose an or deposition in the respi- action that penetrates to is and explanatory mater contain components that should be complied with a listed, a figure three tim	bed in MDHS14/4 lysis or respirable, ition of a substance or present at a m-3 8-hour TWA of le dust. This means that posed to dust above cific WELs and exposure lost industrial dusts aviour, deposition and man respiratory system, anature and size of the nit-setting purposes approximates to the d mouth during breathing iratory tract. Respirable the gas exchange region rial are given in have their own assigned n., Where no specific
		TWA (Respira dust)		GB EH40
Furthe	er information	For the purposes of these I those fractions of airborne undertaken in accordance General methods for samp thoracic and inhalable aero hazardous to health include concentration in air equal to inhalable dust or 4 mg.m-3 any dust will be subject to 0 these levels. Some dusts h to these must comply with contain particles of a wide fate of any particular partic and the body response tha particle. HSE distinguishes termed 'inhalable' and 'resp fraction of airborne materia and is therefore available for dust approximates to the fr of the lung. Fuller definition MDHS14/4., Where dusts of WEL, all the relevant limits short-term exposure limit is exposure limit should be us	dust which will be collect with the methods describ ling and gravimetric anal sols, The COSHH defini es dust of any kind when o or greater than 10 mg.r 8-hour TWA of respirabl COSHH if people are exp ave been assigned spec the appropriate limits., M range of sizes. The beha le after entry into the hur t it elicits, depend on the two size fractions for lim- birable'., Inhalable dust a I that enters the nose an or deposition in the respi action that penetrates to is and explanatory mater contain components that should be complied with a listed, a figure three tim	ted when sampling is bed in MDHS14/4 lysis or respirable, ition of a substance present at a m-3 8-hour TWA of le dust. This means that posed to dust above cific WELs and exposure lost industrial dusts aviour, deposition and man respiratory system, nature and size of the nit-setting purposes approximates to the id mouth during breathing iratory tract. Respirable the gas exchange region rial are given in have their own assigned in, Where no specific

8.2 Exposure controls

Personal protective equipment

according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Version 2.0	Revision Date: 05.12.2019	SDS Num 10200000		Print Date: 22.02.2022 Date of first issue: 10.01.2014		
Еуе р	Eye protection		Safety glasses			
	Hand protection Material		ctive gloves			
Re	Remarks		The suitability for a specific workplace should be discussed with the producers of the protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.			
Skin a	and body protection	: Long	sleeved clot	thing		
Respi	ratory protection	requir	es. ning appara	thing protection if workplace concentration tus with filter.		
Envir	Environmental exposure co					

Water	:	The product should not be allowed to enter drains, water
		courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: powder
Colour	: grey
Odour	: odourless
Odour Threshold	: No data available
рН	: No data available
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Combustible Solids
Self-ignition	: No data available
Auto-ignition temperature	: No data available

according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Ver 2.0	sion	Revision Date: 05.12.2019	-	S Number: 2000000636	Print Date: 22.02.2022 Date of first issue: 10.01.2014
	Smolde	ring temperature	:	No data available	
	Decomp	position temperature	:	No data available	
	Explosiv	ve properties	:	No data available	
	Oxidizin	ng properties	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	
	Relative	e vapour density	:	No data available	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Bulk de	nsity	:	No data available	
	Water s	olubility	:	No data available	
	Solubilit	ty in other solvents	:	No data available	
	Partitior octanol/	n coefficient: n- /water	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosit	y, dynamic	:	No data available	
	Viscosit	y, kinematic	:	No data available	
	Flow tin	ne	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006

Kalkstein/Aluminium Mischung Type RO 260

Version 2.0	Revision Date: 05.12.2019	SDS Number: 102000000636	Print Date: 22.02.2022 Date of first issue: 10.01.2014				
10 3 Possil	bility of hazardous re	actions					
	dous reactions		aside and alkalia may release hydrogen				
nazan	Jous reactions	. Contact with	acids and alkalis may release hydrogen.				
		Stable under	recommended storage conditions.				
10.4 Condi	tions to avoid						
Condit	ions to avoid	: No data avai	lable				
10.5 Incompatible materials							
Materia	als to avoid	: Acids					
		Bases Oxidizing ag	onto				
		Water					
10.6 Hazar	dous decomposition	products					
	al decomposition	: No data avai	lable				
SECTION 11: Toxicological information							
11.1 Inform	11.1 Information on toxicological effects						
Acute	toxicity						

Not classified based on available information.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity

: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



Kalkstein/Aluminium Mischung Type RO 260

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

Product:

Additional ecological : No data available information

SECTION 13: Disposal considerations

European Waste Catalogue	:	12 01 04 - non-ferrous metal dust and particles
European Waste Catalogue	:	10 03 21 - other particulates and dust (including ball-mill dust)
		containing hazardous substances

13.1 Waste treatment methods

Product



according to Regulation (EC) No. 1907/2006

Kalkstein/Aluminium Mischung Type RO 260

Version 2.0	Revision Date: 05.12.2019		lumber: 0000636	Print Date: 22.02.2022 Date of first issue: 10.01.2014
Contar	ninated packaging	ha	ndling site for re	should be taken to an approved waste ecycling or disposal. n local and national regulations.
SECTION	14: Transport inforr	nation		
14.1 UN nu	•			
14.2 UN pro	oper shipping name			
14.3 Trans	port hazard class(es)			
14.4 Packir	ng group			
14.5 Enviro	onmental hazards			
14.6 Specia Remar	al precautions for use		t classified as a	langerous in the meaning of transport
Reinai	NO NO	. 110	L Classified as C	angerous in the meaning of transport

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

regulations.

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statem	ents	
H228	:	Flammable solid.
Full text of other abb	previations	
Flam. Sol.	:	Flammable solids



Kalkstein/Aluminium Mischung Type RO 260

Version	Revision Date:	SDS Number:	Print Date: 22.02.2022
2.0	05.12.2019	10200000636	Date of first issue: 10.01.2014

GB EH40:UK. EH40 WEL - Workplace Exposure LimitsGB EH40 / TWA:Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN