

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ROTOFLEX RG - STANDARD EAP

Material number : 046487SA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company :

Telephone :

Telefax :

E-mail address : msds.eckart@altana.com

Responsible/issuing person

1.4 Emergency telephone number

NCEC:

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification

GHS Classification

: Flammable solids, Category 1, H228 Acute toxicity, Category 4, Oral, H302

Serious eye damage/eye irritation, Category 2A, H319

Page 1 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Short-term (acute) aquatic hazard, Category 1, H400 Long-term (chronic) aquatic hazard, Category 1, H410

GHS-Labelling

Symbol(s) :





Signal word : Danger

Hazard statements : H228: Flammable solid.

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention**:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P370 + P378 In case of fire: Use for extinction: Special

powder for metal fires.

P370 + P378 In case of fire: Use for extinction: Dry sand.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label

Identification CAS-No. copper 7440-50-8



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

SECTION 3: Composition/information on ingredients

Substance name : Rich Gold Bronze - Flammable

Substance No. :

Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
Copper	7440-50-8 231-159-6	Acute Tox.;4;H302 ;2A;H319 Aquatic Acute;1;H400 Aquatic Chronic;1;H410	50 - 100
zinc powder — zinc dust (stabilised)	7440-66-6 231-175-3	Aquatic Acute;1;H400 Aquatic Chronic;1;H410	25 - 50

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move the victim to fresh air.

Do not leave the victim unattended.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

A member of C ALTA	Page 3 / 20	102000029169	A member of C ALTANA
--------------------	-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Special powder against metal fire, Dry sand, ABC powder

Unsuitable extinguishing

media

: Water, High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during : Do not allow run-off from fire fighting to enter drains or water

firefighting courses.

Page 4 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool

fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Evacuate personnel to safe areas. Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Page 5 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Pick up and transfer to properly labelled containers.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust. Routine housekeeping should be

instituted to ensure that dusts do not accumulate on surfaces.

Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in

accordance with local and national regulations.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Avoid dust formation. Keep away from open flames, hot

surfaces and sources of ignition.

Hygiene measures : General industrial hygiene practice. Do not smoke. Wash

hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Page 6 / 20	102000029169	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Requirements for storage areas and containers

: Electrical installations / working materials must comply with the technological safety standards.

Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

No smoking. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

: Protect from humidity and water.

Advice on common storage

 Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
 Do not store together with oxidizing and self-igniting products.

Dampness : Keep in a dry, cool and well-ventilated place.

Other data : Keep in a dry place. No decomposition if stored and applied

as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Copper	7440-50-8	AGW (inhalable	1 mg/m3		DE TRGS 900

Page 7 / 20	102000029169	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

		fraction)			
zinc powder — zinc dust (stabilised)	7440-66-6	AGW (Inhalable fraction)	10 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: exc factor (categor		2;(II)			
Further informa	ation	Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
zinc powder — zinc dust (stabilised)	7440-66-6	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

United States of America (USA):

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Copper	7440-50-8	TWA	1 mg/m3	2008-01-01	
Copper	7440-50-8	TWA (dust and mists)	1 mg/m3	2005-09-01	
Copper	7440-50-8	TWA	1 mg/m3	1989-01-19	
Copper	7440-50-8	TWA	0,2 mg/m3	2008-01-01	
Copper	7440-50-8	TWA	0,1 mg/m3	1989-01-19	
Copper	7440-50-8	TWA (Dust and mist)	1 mg/m3	2010-03-01	
Copper	7440-50-8	TWA (Fumes)	0,2 mg/m3	2010-03-01	
Copper	7440-50-8	TWA (Dust)	1 mg/m3	2013-10-08	

Page 8 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Copper	7440-50-8	TWA (Mist)	1 mg/m3	2013-10-08
Copper	7440-50-8	TWA (dusts and mists)	1 mg/m3	2011-07-01
Copper	7440-50-8	TWA (Fumes)	0,1 mg/m3	2011-07-01
Copper	7440-50-8	TWA (Fumes)	0,1 mg/m3	1989-01-19
Copper	7440-50-8	TWA (Dust and mist)	1 mg/m3	1989-01-19
Copper	7440-50-8	PEL (Fumes)	0,1 mg/m3	2014-11-26
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	2012-07-01
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (total dust)	15 mg/m3	2012-07-01
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (respirable fraction)	5 mg/m3	2012-07-01
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01
zinc powder — zinc dust (stabilised)	7440-66-6	PEL (Total dust)	10 mg/m3	2014-11-26
zinc powder — zinc dust (stabilised)	7440-66-6	PEL (respirable dust fraction)	5 mg/m3	2014-11-26
stearic acid	57-11-4	TWA	10 mg/m3	2016-03-01

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Page 9 / 20 102000029169 A member of C	O ALTANA
--	-----------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

: Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Leather

Remarks : Leather gloves

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Recommended preventive skin protection

: The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Long sleeved clothing

Safety shoes

: Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Respirator with a dust filter

P1 filter

Environmental exposure controls

General advice :

/ 20 102000029169	A member of C ALTANA
-------------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Water : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : gold

Odour : characteristic

pH : No data available
Freezing point : No data available

Boiling point/boiling range : No data available Flash point : No data available

Bulk density : No data available

Flammability (solid, gas) : The substance or mixture is a flammable solid

with the category 1.

Auto-flammability : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available

Page 11 / 20	102000029169	A member of C ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Vapour pressure : No data available

Density : 7,6 g/cm3

Water solubility : No data available : No data available Miscibility with water Solubility in other solvents : No data available Partition coefficient: n-octanol/water : No data available : No data available Ignition temperature Thermal decomposition : No data available Viscosity, dynamic : No data available Viscosity, kinematic : No data available : No data available Flow time

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed. **No decomposition if stored and applied as directed.**

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No hazards

to be specially mentioned.

No decomposition if stored and applied as directed.

Page 12 / 20 102000029169 A me	nember of O ALTANA
--------------------------------	---------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No data available

Other information : No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

Copper:

Acute oral toxicity : The component/mixture is moderately toxic after single

ingestion.

zinc powder — zinc dust (stabilised):

Acute oral toxicity : Rat: > 2 000 mg/kg

Skin corrosion/irritation

Page 13 / 20	102000029169	A member of C ALTANA
	l	



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Product

May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product

Eye irritation

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Page 14 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

Further information

Product

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

copper (7440-50-8):

M-Factor : 10

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

Long-term (chronic) aquatic

hazard

zinc (7440-66-6):

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

Long-term (chronic) aquatic

hazard

: Very toxic to aquatic life.

: Very toxic to aquatic life.

: Very toxic to aquatic life with long lasting effects.

: Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

Page 15 / 20	102000029169	A member of C ALTANA
		A Inclinación C ALIAMA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life

with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company. In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum. In accordance with local and national regulations.

Page 16 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

SECTION 14: Transport information

14.1 UN number

ADR : 3089
TDG : 3089
CFR : 3089
IMDG : 3089
IATA : 3089

14.2 Proper shipping name

ADR : METAL POWDER, FLAMMABLE, N.O.S.

(Gold bronze powder)

TDG : METAL POWDER, FLAMMABLE, N.O.S.

(Gold bronze powder)

CFR : METAL POWDERS, FLAMMABLE, N.O.S.

(Gold bronze powder)

IMDG : METAL POWDER, FLAMMABLE, N.O.S.

(,Gold bronze powder ,Copper metal powder)

IATA : METAL POWDER, FLAMMABLE, N.O.S.

(Gold bronze powder)

14.3 Transport hazard class

ADR : 4.1
TDG : 4.1
CFR : 4.1
IMDG : 4.1
IATA : 4.1

14.4 Packing group

Page 17 / 20	102000029169	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

ADR

Packaging group : II
Classification Code : F3
Hazard Identification Number : 40
Labels : 4.1
Tunnel restriction code : (E)

TDG

Packaging group : II Labels : 4.1

CFR

Packaging group : II Labels : 4.1

IMDG

Packaging group : II
Labels : 4.1

EmS Number : F-G, S-G

IATA

Packing instruction (cargo : 448

aircraft)

Packing instruction : 445

(passenger aircraft)

Packing instruction (LQ) : Y441
Packaging group : II
Labels : 4.1

14.5 Environmental hazards

ADR : Environmentally hazardous

IMDG : Marine pollutant

Page 18 / 20 102000029169 A	member of O ALTANA	
-----------------------------	---------------------------	--



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

14.6 Special precautions for user

IMDG Code- segregation group:

- : IMDG Code segregation group 7 Heavy metals and their salts
- : IMDG Code segregation group 15 Powdered metals

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable Concern for Authorisation (Article 59).

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid.
H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Page 19 / 20 102000029169 A member of () ALT	mber of O ALTANA
---	-------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ROTOFLEX RG - STANDARD EAP

Version 2.0 Revision Date 06.12.2019 Print Date 07.08.2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.