

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : STAPA HYDROXAL E 4 Seed Aluminium Paste

Material number : 021437KA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH

Guentersthal 4 91235 Hartenstein

Telephone : +499152770 Telefax : +499152777008

E-mail address : msds.eckart@altana.com

Responsible/issuing person

1.4 Emergency telephone number

NCEC:

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification

GHS Classification

Not a hazardous substance or mixture.

GHS-Labelling

Page 1 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Hazardous components which must be listed on the label

Identification CAS-No. 2-(2-heptadec-8-enyl-2-imidazolin-1- 95-38-5

yl)ethanol

octylphosphonic acid 4724-48-5

SECTION 3: Composition/information on ingredients

Substance name : STAPA HYDROXAL E 4

Substance No. :

Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
aluminium powder (stabilised)	7429-90-5 231-072-3	Flam. Sol.;1;H228	60 - 100
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	95-38-5 202-414-9	Acute Tox.;4;H302 ;1C;H314 STOT RE;2;H373 Aquatic Acute;1;H400 Aquatic Chronic;1;H410	1 - 5
octylphosphonic acid	4724-48-5 225-218-5	Acute Tox.;4;H302 STOT RE;2;H373 ;1;H314 ;1;H318	1 - 5

For the full text of the H-Statements mentioned in this Section, see Section 16.

Page 2 / 17	102000022764	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move the victim to fresh air.

Do not leave the victim unattended.

No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

e 3 / 17 102000022764	A member of C ALTANA
-------------------------------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry sand, Special powder against metal fire

Unsuitable extinguishing

media

: Water, Foam, ABC powder, Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

> Use personal protective equipment. Remove all sources of ignition.

Avoid dust formation.

6.2 Environmental precautions

This information is not available.

Page 4 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Do not flush with water.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Keep away from heat and sources of ignition. Avoid dust

formation. Ensure adequate ventilation.

For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Advice on protection against

fire and explosion

: Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential.

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.

Electrical installations / working materials must comply with the technological safety standards.

Page 5 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

Further information on storage conditions

: Protect from humidity and water. Do not allow to dry.

Advice on common storage

: Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic

reactions.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	AGW (Inhalable fraction)	10 mg/m3	2014-04-02	DE TRGS 900
powder		maction)			
(stabilised)					
Peak-limit: exc	ursion	2;(II)			
factor (categor	y)				
Further informa	ation	Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
aluminium powder (stabilised)	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: exc	ursion	2;(II)			

Page 6 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

factor (category)	
Further information	Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Material : Solvent-resistant gloves

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special

workplace conditions (mechanical strain, duration of contact).

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Recommended preventive skin protection

Skin should be washed after contact.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Long sleeved clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Page 7 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

: Protective suit

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Environmental exposure controls

Water : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Pasty solid

Colour : silver

Odour : characteristic

pH : No data available
Freezing point : No data available
Boiling point/boiling range : No data available
Flash point : No data available
Bulk density : No data available

Flammability (solid, gas) : The product is not flammable.

Auto-flammability : not auto-flammable
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available

Page 8 / 17	102000022764	A member of ALTANA
-------------	--------------	---------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

Density : ca. 1,4 g/cm3

Solubility(ies)

Water solubility : insoluble

Miscibility with water : immiscible

Solubility in other solvents : No data available Partition coefficient: n-octanol/water : No data available Ignition temperature : No data available Thermal decomposition : No data available Viscosity, dynamic : No data available : No data available Viscosity, kinematic Flow time : No data available Explosive properties : Not explosive

9.2 Other information

Self-Accelerating : No data available

decomposition temperature

(SADT)

Self-heating substances : No data available
Heat of combustion : No data available
Impact sensitivity : No data available
Surface tension : No data available

Conductivity : No data available
Sublimation point : No data available
Molecular weight : No data available



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with alkalis, acids, halogenes and oxidizing agents.

Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of

hydrogen.

Vapour/air-mixtures are explosive at intense warming.

Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : Do not allow to dry.

No data available

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

Highly halogenated compounds

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No data available

Other information : No data available

Page 10 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Acute oral toxicity : The component/mixture is moderately toxic after single

ingestion.

octylphosphonic acid:

Acute oral toxicity : Rat: 500 - 2 000 mg/kg

Skin corrosion/irritation

Product

Result: No skin irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product

Result: No eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

No data available

Page 11 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

ge 12 / 17 102000022764 A r	member of C ALTANA
-----------------------------	---------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

: Very toxic to aquatic life.

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

Long-term (chronic) aquatic

hazard

: This product has no known ecotoxicological effects.

: This product has no known ecotoxicological effects.

Components:

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) :

M-Factor : 10

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

Long-term (chronic) aquatic

hazard

: Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Product:

Additional ecological

information

: No data available

age 13 / 17	102000022764	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Not dangerous goods

IATA :

IATA : Not permitted for transport

14.2 Proper shipping name

ADR

Not dangerous goods

TDG

Not dangerous goods

Page 14 / 17	102000022764	A member of C ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

CFR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not permitted for transport

14.3 Transport hazard class

ADR

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Not dangerous goods

IATA : Not permitted for transport

14.4 Packing group

ADR

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Page 15 / 17 102000022764	A member of C ALTANA
---------------------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

(Cargo) : Not permitted for transport(Passenger) : Not permitted for transport

14.5 Environmental hazards

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

Due to the risk of hydrogen development we recommend to refrain from airfreighting this/these product(s).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Prohibition/Restriction

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

15.2 Chemical safety assessment

No data available

Page 16 / 17	102000022764	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL E 4 Seed Aluminium Paste

Version 2.0 Revision Date 06.12.2019 Print Date 18.02.2022

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid. H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.