

according to Regulation (EC) No. 1907/2006

STAY/STEEL LN 25

Version	Revision Date:	SDS Number:	Print Date: 18.02.2022
2.0	09.12.2019	102000024251	Date of first issue: 16.02.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:STAY/STEEL LN 25Product code:022172BF0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

Information concerning particular	: Please refer to our website for further important
hazards for human and environment:	safety instructions for handling aluminium powder:

http://www.eckart.net/fileadmin/eckart/Service/GDA _Alupulver_Safety_engl.pdf

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210 Safety data sheet available on request.



STAY/STEEL LN 25

Version	Revision Date:	SDS Number:	Print Date: 18.02.2022
2.0	09.12.2019	102000024251	Date of first issue: 16.02.2016

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

CAS-No.	Classification	Concentration			
EC-No.	REGULATION (EC)	(% w/w)			
Index-No.	No 1272/2008				
Registration number					
7440-47-3	Aquatic Chronic 4;	>= 10 - < 20			
231-157-5	H413				
Substances with a workplace exposure limit :					
7439-96-5		>= 1 - < 10			
231-105-1					
	EC-No. Index-No. Registration number 7440-47-3 231-157-5 posure limit : 7439-96-5	EC-No. Index-No. Registration numberREGULATION (EC) No 1272/20087440-47-3 231-157-5Aquatic Chronic 4; H413posure limit : 7439-96-57439-96-5			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
		Move the victim to fresh air.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.



STAY/STEEL LN 25

Version	Revision Date:	SDS Number:	Print Date: 18.02.2022
2.0	09.12.2019	102000024251	Date of first issue: 16.02.2016

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Special powder against metal fire Unsuitable extinguishing media Special powder against metal fire Unsuitable extinguishing media Special powder against metal fire Special powder Carbon dioxide (CO2) Water Foam

Specific hazards during firefighting	:	Contact with water liberates extremely flammable gas (hydrogen).
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

• •		A under a state of the state of
Personal precautions	•	Avoid dust formation.
		Use personal protective equipment.
		Evacuate personnel to safe areas.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
		Use mechanical handling equipment. Do not use a vacuum cleaner.

6.4 Reference to other sections

For personal protection see section 8.



STAY/STEEL LN 25

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat and sources of ignition. Do not smoke.
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
	During processing, dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Earthing of containers and apparatuses is essential. Use explosion-proof equipment. When transferring from one container to another apply earthing measures and use conductive hose material.
Hygiene measures :	General industrial hygiene practice.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
	Electrical installations / working materials must comply with the technological safety standards.
	Reaction with water liberates extremely flammable gas (hydrogen) Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.
Further information on : storage conditions	Protect from humidity and water.
Advice on common storage :	No materials to be especially mentioned.
	Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
Further information on : storage stability	No decomposition if stored and applied as directed.



STAY/STEEL LN 25

Version	Revision Date:	SDS Number:	Print Date: 18.02.2022
2.0	09.12.2019	102000024251	Date of first issue: 16.02.2016

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
iron	7439-89-6	TWA (Inhalable)	10 mg/m3	GB EH40		
Further information	any kind wh mg.m-3 8-h dust. This m exposed to specific WE limits., Whe	en present at a conc our TWA of inhalable neans that any dust we dust above these lev Ls and exposure to re no specific short-t ng-term exposure lin TWA	tance hazardous to health in centration in air equal to or gr dust or 4 mg.m-3 8-hour TV vill be subject to COSHH if p rels. Some dusts have been these must comply with the a erm exposure limit is listed, a hit should be used. 4 mg/m3	eater than 10 VA of respirable eople are assigned ppropriate		
Further information	(Respirable) The COSHH definition of a substance hazardous to health includes dust any kind when present at a concentration in air equal to or greater than mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respir dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Where no specific short-term exposure limit is listed, a figure thre times the long-term exposure limit should be used.					
chromium	7440-47-3	TWA	2 mg/m3	2006/15/EC		
Further information	Indicative	TWA	0.5 mg/m2	GB EH40		
Further information	Where no specific short-term exposure limit is listed, a figure three long-term exposure limit should be used. TWA 2 mg/m3 2006					
Further information	Indicative		(chromium)			
manganese	7439-96-5	TWA (inhalable fraction)	0.2 mg/m3 (Manganese)	2017/164/EU		
Further information	Indicative	TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	2017/164/EU		
Further information	Indicative	TWA (Inhalable)	0.2 mg/m3 (Manganese)	GB EH40		
Further information		pecific short-term ex	posure limit is listed, a figure be used.	three times the		
		TWA (Respirable)	0.05 mg/m3 (Manganese)	GB EH40		



according to Regulation (EC) No. 1907/2006

STAY/STEEL LN 25

Version 2.0	Revision Date 09.12.2019		S Number: 000024251	Print Date: 18.02.2022 Date of first issue: 16.02.2	2016
Furth	er information			erm exposure limit is listed, a f should be used.	igure three times the
molyl	bdenum	7439-98-7	TWA	10 mg/m3 (Molybdenum)	GB EH40
			STEL	20 mg/m3 (Molybdenum)	GB EH40
8.2 Expos	sure controls				
Pers	onal protective e	quipment			
Eye p	protection	: :	Safety glasses	3	
		I	Face-shield		
Μ	l protection aterial love length		Leather Long sleeve g	loves	
R	emarks	(only depend o	s The choice of an appropriate n its material but also on other t from one producer to the othe	quality features
Skin	and body protecti			l fire resistant protective clothir 3; EN 1149-1. Anti-static safety	
Resp	iratory protection		requires.	reathing protection if workplac aratus with filter.	e concentration
Envi	ronmental expos	ure control	S		
Wate	•	: -		hould not be allowed to enter d	rains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: grey
Odour	: odourless
Odour Threshold	: No data available
рН	: No data available
Melting point/range	: 660 °C
Boiling point/boiling range	: No data available

according to Regulation (EC) No. 1907/2006



STAY/STEEL LN 25

Versior 2.0	n	Revision Date: 09.12.2019		S Number: 2000024251	Print Date: 18.02.2022 Date of first issue: 16.02.2016
Fla	ash p	oint	:	No data available	
E١	vapora	ation rate	:	No data available)
Fla	amma	ability (solid, gas)	:	Combustible Soli	ds
Se	elf-ign	ition	:	No data available	9
Αι	uto-igr	nition temperature	:	No data available	9
Sr	molde	ring temperature	:	No data available	9
De	ecom	position temperature	:	No data available)
E>	xplosiv	ve properties	:	No data available)
O	xidizin	ng properties	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	30 g/m3	
Va	apour	pressure	:	No data available)
Re	elative	e vapour density	:	No data available)
Re	elative	e density	:	No data available)
De	ensity		:	No data available)
Βι	ulk de	nsity	:	No data available)
So		ty(ies) er solubility	:	insoluble	
So	olubilit	ty in other solvents	:	No data available)
		n coefficient: n- /water	:	No data available	
De	ecom	position temperature	:	No data available	
Vi	scosit	y, dynamic	:	No data available	
Vi	scosit	y, kinematic	:	No data available	9
Fl	ow tin	ne	:	No data available	9
0.0.04	• • • •	formation			

9.2 Other information

No data available



STAY/STEEL LN 25

Version	Revision Date: 09.12.2019	SDS Number:	Print Date: 18.02.2022
2.0		102000024251	Date of first issue: 16.02.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.	
---------------------	---	--	--

Contact with acids and alkalis may release hydrogen.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid

: Acids Bases Oxidizing agents Water

10.6 Hazardous decomposition products

Contact with water or humid : This information is not available. air

Thermal decomposition : This information is not available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

chromium: Acute oral toxicity	:	LD50 Oral: > 5,000 mg/kg
Acute inhalation toxicity	:	LC50: > 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist

manganese:

according to Regulation (EC) No. 1907/2006



STAY/STEEL LN 25

Versior 2.0	n Revision Date: 09.12.2019	SDS Number: 102000024251	Print Date: 18.02.2022 Date of first issue: 16.02.2016			
Ac	ute oral toxicity	: LD50 Oral: :	> 2,000 mg/kg			
Ac	ute inhalation toxicity	: LC50: 5.14 Exposure tir Test atmosp				
-	tin corrosion/irritation	ble information				
Se	rious eye damage/eye irri ot classified based on availa	itation				
Re	espiratory or skin sensitis	ation				
	in sensitisation ot classified based on availa	able information.				
	espiratory sensitisation ot classified based on availa	able information.				
	erm cell mutagenicity ot classified based on availa	able information.				
	Carcinogenicity Not classified based on available information.					
	eproductive toxicity ot classified based on availa	able information.				
	OT - single exposure ot classified based on availa	able information.				
	STOT - repeated exposure Not classified based on available information.					
	Aspiration toxicity Not classified based on available information.					
Fu	urther information					
	oduct: emarks: No data available					
SECTI	ON 12: Ecological infor	rmation				
12.1 To	-					

No data available

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential

No data available



STAY/STEEL LN 25

Version 2.0	Revision Date: 09.12.2019		DS Number: 02000024251	Print Date: 18.02.2022 Date of first issue: 16.02.2016
No da	ility in soil ata available Ilts of PBT and vPvB uct:	asse	essment	
Asse	ssment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Othe	r adverse effects			
	<u>uct:</u> ional ecological nation	:	No data available)

SECTION 13: Disposal considerations

European Waste Catalogue	:	12 01 04 - non-ferrous metal dust and particles
13.1 Waste treatment methods		
Product	:	In accordance with local and national regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. In accordance with local and national regulations.

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

:

Not applicable for product as supplied.



STAY/STEEL LN 25

Version	Revision Date:	SDS Number:	Print Date: 18.02.2022
2.0	09.12.2019	102000024251	Date of first issue: 16.02.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable Regulation (EC) No 850/2004 on persistent organic : Not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements					
H413 :	May cause long lasting harmful effects to aquatic life.				
Full text of other abbreviations					
Aquatic Chronic : 2006/15/EC : 2017/164/EU :	Long-term (chronic) aquatic hazard Europe. Indicative occupational exposure limit values Commission Directive (EU) 2017/164 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU				
2006/15/EC / TWA : 2006/15/EC / TWA :	UK. EH40 WEL - Workplace Exposure Limits Limit Value - eight hours Limit Value - eight hours Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -



STAY/STEEL LN 25

Version	Revision Date:	SDS Number:	Print Date: 18.02.2022
2.0	09.12.2019	102000024251	Date of first issue: 16.02.2016

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN