

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Coolspheric S5 Material number : 027030G60

Registration number : 01-2119529243-45

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH

Guentersthal 4 91235 Hartenstein

Telephone : +499152770 Telefax : +499152777008

E-mail address : msds.eckart@altana.com

Responsible/issuing person

1.4 Emergency telephone number

NCEC:

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification

GHS Classification

Not a hazardous substance or mixture.

Page 1 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

Information concerning particular hazards for human and environment:

: Please refer to our website for further important safety instructions for handling aluminium powder:

http://www.eckart.net/fileadmin/eckart/Service/GDA

_Alupulver_Safety_engl.pdf

GHS-Labelling

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Hazardous components which must be listed on the label

SECTION 3: Composition/information on ingredients

Substance name : aluminium powder (stabilised)

Substance No. : EINECS-No. : 231-072-3

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move the victim to fresh air.

No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

Page 2 / 15	102000000212	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

In case of eye contact : Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry sand, Special powder against metal fire

Unsuitable extinguishing

media

: ABC powder, Carbon dioxide (CO2), Water, Foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Contact with water liberates extremely flammable gas

(hydrogen).

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Page 3 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Evacuate personnel to safe areas.

Avoid dust formation.

6.2 Environmental precautions

This information is not available.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Do not use a vacuum cleaner.

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Do not flush with water.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust. Routine housekeeping should be

instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat and sources of ignition. Do not smoke.

For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Advice on protection against : During processing, dust may form explosive mixture in air.

Page 4 / 15	102000000212	A member of ALTANA
-------------	--------------	---------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

fire and explosion Take measures to prevent the build up of electrostatic charge.

Earthing of containers and apparatuses is essential. Use explosion-proof equipment. When transferring from one container to another apply earthing measures and use

conductive hose material.

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

 Reaction with water liberates extremely flammable gas (hydrogen) Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

: Protect from humidity and water.

Advice on common storage

: Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic

reactions.

Other data : Keep in a dry place. No decomposition if stored and applied

as directed.

7.3 Specific end use(s)

This information is not available.

Page 5 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	AGW (Inhalable fraction)	10 mg/m3	2014-04-02	DE TRGS 900
powder (stabilised)		naction)			
Peak-limit: exc factor (categor		2;(II)			
Further informa	ation	Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
aluminium powder (stabilised)	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: exc factor (categor		2;(II)			
Further informa	ation	Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

United States of America (USA):

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable)	5 mg/m3	2013-10-08	
aluminium	7429-90-5	TWA (total dust)	15 mg/m3	2012-07-01	

Page 6 / 15 102000000212	A member of C ALTANA
--------------------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

powder	1	1	1	1
(stabilised)				
aluminium	7429-90-5	TWA (total)	10 mg/m3	2013-10-08
powder		, ,		
(stabilised)				
aluminium	7429-90-5	TWA (respirable	5 mg/m3	2012-07-01
powder		fraction)		
(stabilised)				
aluminium	7429-90-5	TWA (respirable	15 Million particles	2012-07-01
powder		fraction)	per cubic foot	
(stabilised)				
aluminium	7429-90-5	PEL (Total dust)	10 mg/m3	2014-11-26
powder				
(stabilised)	- 400 00 -	DEL (: 11	- / 0	00444400
aluminium	7429-90-5	PEL (respirable dust fraction)	5 mg/m3	2014-11-26
powder		dust fraction)		
(stabilised) aluminium	7429-90-5	TWA	1 mg/m3	2008-01-01
powder	7429-90-5	(Respirable	i mg/ms	2008-01-01
(stabilised)		fraction)		
aluminium	7429-90-5	TWA	5 mg/m3	2005-09-01
powder	7429-90-3	IVVA	3 mg/m3	2003-03-01
(stabilised)				
aluminium	7429-90-5	TWA (Total)	15 mg/m3	1989-01-19
powder	1 .25 55 5	(3 3	
(stabilised)				
aluminium	7429-90-5	TWA	5 mg/m3	1989-01-19
powder		(Respirable		
(stabilised)		fraction)		
aluminium	7429-90-5	TWA (total dust)	15 mg/m3	2011-07-01
powder				
(stabilised)				
aluminium	7429-90-5	TWA (respirable	5 mg/m3	2011-07-01
powder		fraction)		
(stabilised)				
aluminium	7429-90-5	TWA (Total	15 mg/m3	1989-01-19
powder		dust)		
(stabilised)				

Page 7 / 15	102000000212	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

aluminium powder (stabilised)	7429-90-5	TWA (respirable dust fraction)	5 mg/m3	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (welding fumes)	5 mg/m3	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (pyro powders)	5 mg/m3	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	1 mg/m3	2013-03-01	
aluminium powder (stabilised)	7429-90-5	TWA (Fumes)	5 mg/m3	1989-01-19	
aluminium powder (stabilised)	7429-90-5	PEL (Welding fumes)	5 mg/m3	2017-10-02	
aluminium powder (stabilised)	7429-90-5	PEL (Pyro powders)	5 mg/m3	2017-10-02	

8.2 Exposure controls

Personal protective equipment

Eye protection : Face-shield

: Safety glasses

Hand protection

Material : Leather

Glove length : Long sleeve gloves

Page 8 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

Remarks : Leather gloves

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Skin and body protection : Anti-static and fire resistant protective clothing. DIN EN

11612; EN 533; EN 1149-1. Anti-static safety shoes.

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

: Use suitable breathing protection if workplace concentration

requires.

Breathing apparatus with filter.

P1 filter

Environmental exposure controls

Water : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : grey

Odour : odourless

pH : No data available

Melting point/range : 660 °C

A member of C ALTAN	Page 9 / 15	102000000212	A member of C ALTANA
---------------------	-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

Boiling point/boiling range : 2 327 °C

Flash point

Not applicable

Bulk density : 900 - 1 200 kg/m3

Flammability (solid, gas) : The product is not flammable.

Auto-flammability : No data available Upper explosion limit : No data available

Lower explosion limit : 30 g/m3

Vapour pressure : No data available

Density : 2,7 g/cm3

Solubility(ies)

Water solubility : insoluble
Miscibility with water : immiscible

Solubility in other solvents : No data available
Partition coefficient: n-octanol/water : No data available

Ignition temperature : > 600 °C

Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Flow time : No data available

9.2 Other information

No data available

Page 10 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

Stable under recommended storage conditions.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

Water

10.6 Hazardous decomposition products

Other information : No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Page 11 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coo	Isp	heric	S5
-----	-----	-------	-----------

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Page 12 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

Further information

Product

No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Product:

Additional ecological information

: No data available

Page 13 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

In accordance with local and national regulations.

SECTION 14: Transport information

14.1 UN number

14.2 Proper shipping name

14.3 Transport hazard class

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

Page 14 / 15	102000000212	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Coolspheric S5

Version 2.0 Revision Date 02.12.2019 Print Date 20.01.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable Concern for Authorisation (Article 59).

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.