

according to Regulation (EC) No. 1907/2006

SYMIC PCE C393

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000022736	Date of first issue: 16.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Colouring agents, pigments

1.1 Product identifier

Trade name	:	SYMIC PCE C393
Product code	:	021421ML0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	
Substance/Mixture	

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe
	dust.



SYMIC PCE C393

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000022736	Date of first issue: 16.03.2015

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification REGULATION (EC) No 1272/2008	Concentration (% w/w)		
Substances with a workplace exposure limit :					
Fluorphlogopite (Mg3K[AlF2O(SiO3)3])	12003-38-2 234-426-5		>= 25 - < 50		
	01-2119971065-37				
For explanation of abbreviations see section 16.					

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed


This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam

Carbon dioxide (CO2)





SYMIC PCE C393

Version 3.1	Revision Date: 09.03.2022		0S Number: 2000022736	Print Date: 11.03.2022 Date of first issue: 16.03.2015	
			ABC powder		
5.2 Speci	al hazards arising from	n the	e substance or r	nixture	
5.3 Advic	e for firefighters				
	ial protective equipment efighters	:	Wear self-conta necessary.	ined breathing apparatus for firefighting if	
Furth	er information	:	Use extinguishi	dure for chemical fires. ng measures that are appropriate to local and the surrounding environment.	
SECTIO	N 6: Accidental relea	se r	neasures		
6.1 Perso	nal precautions, prote	ctive	e equipment and	l emergency procedures	
Perso	onal precautions	:	Avoid dust form	ation.	
0 0 -					
	onmental precautions		No openial opvi	ronmental precautions required.	
Meth	ods for cleaning up	:	Sweep up and	ange disposal without creating dust. shovel. e, closed containers for disposal.	
6.4 Refere	ence to other sections				
SECTION	N 7: Handling and sto	oraç	je		
	utions for safe handlin ce on safe handling	g :	Smoking, eating	otection see section 8. g and drinking should be prohibited in the	
			application area	l.	
	ce on protection against nd explosion	:	Provide approp is formed.	riate exhaust ventilation at places where dus	
Hygie	ene measures	:	General industr	ial hygiene practice.	
Requ	itions for safe storage, lirements for storage s and containers	inc :	Electrical instal	npatibilities ations / working materials must comply with al safety standards.	
Advid	ce on common storage	:	No materials to be especially mentioned.		
Furth	er information on		Keen in a dry n	lace. No decomposition if stored and applied	

Further information on : Keep in a dry place. No decomposition if stored and applied

CECKART

according to Regulation (EC) No. 1907/2006

SYMIC PCE C393

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000022736	Date of first issue: 16.03.2015

storage stability

as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide	13463-67- 7	TWA (inhalable dust)	10 mg/m3	GB EH40	
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4, Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific				
		TWA (Inhalable)	10 mg/m3	GB EH40	
Further information	any kind wh mg.m-3 8-ho dust. This m exposed to specific WE limits., When	en present at a conc our TWA of inhalable leans that any dust v dust above these lev Ls and exposure to t re no specific short-t ng-term exposure lim		or greater than 10 Ir TWA of respirable I if people are een assigned he appropriate ed, a figure three	
		TWA (Respirable	4 mg/m3	GB EH40	
		dust)			

according to Regulation (EC) No. 1907/2006



SYMIC PCE C393

ersion 1	Revision Date: 09.03.2022		~~~~~	rint Date: 11.03.2022 Date of first issue: 16.03.2015	5
		General me thoracic and hazardous t concentratio inhalable du any dust wil these levels to these mu contain part fate of any p and the bod particle. HS termed 'inha fraction of a and is there dust approx of the lung. MDHS14/4. WEL, all the short-term e	thods for sampling inhalable aerosols o health includes d on in air equal to or list or 4 mg.m-3 8-h l be subject to COS . Some dusts have st comply with the icles of a wide rang particular particle al y response that it e E distinguishes two alable' and 'respirat irborne material that fore available for d imates to the fractions Fuller definitions and , Where dusts cont	the methods described in M and gravimetric analysis or r s., The COSHH definition of a ust of any kind when present greater than 10 mg.m-3 8-hd our TWA of respirable dust. SHH if people are exposed to been assigned specific WEL appropriate limits., Most indu ge of sizes. The behaviour, de ter entry into the human resp elicits, depend on the nature a o size fractions for limit-setting ole'., Inhalable dust approxim at enters the nose and mouth eposition in the respiratory tra- on that penetrates to the gas and explanatory material are g ain components that have the ould be complied with., Where ed, a figure three times the lo	espirable, a substance t at a bur TWA of This means that o dust above s and exposure strial dusts eposition and biratory system, and size of the g purposes ates to the during breathin act. Respirable exchange regio jiven in eir own assigned e no specific
Furth	er information	IWA (Respirable fraction)4 mg/m3GB EH40The COSHH definition of a substance hazardous to health includes dust or any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirate dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
	ohlogopite K[AIF2O(SiO3)	12003-38- 2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
Furthe	er information trioxide	Indicative 1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40
Furth	er information	any kind wh mg.m-3 8-h dust. This m exposed to specific WE limits., Whe	en present at a cor our TWA of inhalab leans that any dust dust above these le Ls and exposure to re no specific short	stance hazardous to health in incentration in air equal to or g le dust or 4 mg.m-3 8-hour T will be subject to COSHH if evels. Some dusts have been these must comply with the -term exposure limit is listed, mit should be used.	greater than 10 WA of respirabl people are assigned appropriate
Furthe	er information	The COSHI	TWA (Respirable fraction) I definition of a sub	4 mg/m3 stance hazardous to health i	
		mg.m-3 8-h	our TWA of inhalab	ncentration in air equal to or o le dust or 4 mg.m-3 8-hour T will be subject to COSHH if	WA of respirab

according to Regulation (EC) No. 1907/2006



SYMIC PCE C393

rsion	Revision Date 09.03.2022	: SDS Number: 102000022736	Print Date: 11.03.202 Date of first issue: 16	
		exposed to dust above the specific WELs and exposu limits., Where no specific s times the long-term exposu	re to these must comply hort-term exposure limit	with the appropriate
		TWA (inhalat dust)	ble 10 mg/m3	GB EH40
Furth	er information	For the purposes of these those fractions of airborne undertaken in accordance General methods for samp thoracic and inhalable aero hazardous to health include concentration in air equal t inhalable dust or 4 mg.m-3 any dust will be subject to these levels. Some dusts h to these must comply with contain particles of a wide fate of any particular partic and the body response that particle. HSE distinguishes termed 'inhalable' and 'resp fraction of airborne materia and is therefore available f dust approximates to the fr of the lung. Fuller definition MDHS14/4., Where dusts of WEL, all the relevant limits short-term exposure limit is exposure limit should be us	dust which will be collect with the methods describ ling and gravimetric anal pools., The COSHH defin es dust of any kind when o or greater than 10 mg. 8 shour TWA of respirab COSHH if people are exp nave been assigned spect the appropriate limits., M range of sizes. The beha le after entry into the hur t it elicits, depend on the s two size fractions for lim pirable'., Inhalable dust a al that enters the nose an or deposition in the respi faction that penetrates to ns and explanatory mater contain components that should be complied with a listed, a figure three tim sed.	ted when sampling is bed in MDHS14/4 lysis or respirable, iition of a substance or present at a m-3 8-hour TWA of le dust. This means that posed to dust above cific WELs and exposure lost industrial dusts aviour, deposition and man respiratory system, e nature and size of the hit-setting purposes upproximates to the ind mouth during breathing iratory tract. Respirable the gas exchange region rial are given in have their own assigned and, Where no specific uses the long-term
		TWA (Respira dust)	able 4 mg/m3	GB EH40
Furth	er information	For the purposes of these those fractions of airborne undertaken in accordance General methods for samp thoracic and inhalable aero hazardous to health include concentration in air equal t inhalable dust or 4 mg.m-3 any dust will be subject to these levels. Some dusts h to these must comply with contain particles of a wide fate of any particular partic and the body response that particle. HSE distinguishes termed 'inhalable' and 'resp fraction of airborne materia and is therefore available f dust approximates to the fr of the lung. Fuller definitior	dust which will be collect with the methods describ ling and gravimetric anal pools., The COSHH defin es dust of any kind when o or greater than 10 mg. 8 8-hour TWA of respirab COSHH if people are exp nave been assigned spect the appropriate limits., M range of sizes. The beha le after entry into the hur t it elicits, depend on the t two size fractions for lim pirable'., Inhalable dust a al that enters the nose an or deposition in the respi-	ted when sampling is bed in MDHS14/4 lysis or respirable, ition of a substance or present at a m-3 8-hour TWA of le dust. This means that posed to dust above cific WELs and exposur lost industrial dusts aviour, deposition and man respiratory system or nature and size of the hit-setting purposes upproximates to the id mouth during breathi iratory tract. Respirable the gas exchange regi



SYMIC PCE C393

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022
3.1	09.03.2022	102000022736	Date of first issue: 16.03.2015

MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: powder
	powder
Colour	: gold
Odour	: characteristic
Odour Threshold	: No data available
рН	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Will not burn
Self-ignition	: No data available
Auto-ignition temperature	: No data available

according to Regulation (EC) No. 1907/2006



SYMIC PCE C393

Ver 3.1	sion	Revision Date: 09.03.2022	SDS Number: 102000022736	Print Date: 11.03.2022 Date of first issue: 16.03.2015
	Smolde	ering temperature	: No data ava	ailable
	Decom	position temperature	: No data ava	ailable
	Explosi	ve properties	: No data ava	ailable
	Oxidiziı	ng properties	: No data ava	ailable
		explosion limit / Upper bility limit	: No data ava	ailable
		explosion limit / Lower bility limit	: No data ava	ailable
	Vapour	pressure	: No data ava	ailable
	Relative	e vapour density	: No data ava	ailable
	Relative	e density	: No data ava	ailable
	Density	/	: 3.5 g/cm3	
	Bulk de	ensity	: No data ava	ailable
	Waters	solubility	: No data ava	ailable
	Solubili	ty in other solvents	: No data ava	ailable
	Partitio octanol	n coefficient: n- /water	: No data ava	ailable
	Decom	position temperature	: No data ava	ailable
	Viscosi	ty, dynamic	: No data ava	ailable
	Viscosi	ty, kinematic	: No data ava	ailable
	Flow tir	ne	: No data ava	ailable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions



according to Regulation (EC) No. 1907/2006

SYMIC PCE C393

Version 3.1	Revision Date: 09.03.2022	SDS Number: 102000022736	Print Date: 11.03.2022 Date of first issue: 16.03.2015		
Hazardous reactions		: Stable under recommended storage conditions. No hazards to be specially mentioned.			
10.4 Cond	itions to avoid				
Condi	tions to avoid	: No data availat	ble		
10.5 Incon	npatible materials				
10.6 Haza	rdous decomposition	products			
Contact with water or humid air		: This information	n is not available.		
Therm	nal decomposition	: This information	n is not available.		
SECTION	SECTION 11: Toxicological information				
11.1 Inform	nation on toxicologica	al effects			
	e toxicity				
	assified based on availa	able information.			

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



SYMIC PCE C393

Version	Revision Date:	SDS Number:	Print Date: 11.03.2022	
3.1	09.03.2022	102000022736	Date of first issue: 16.03.2015	

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological	:	No data available
information		

Components:

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]): Additional ecological : No data available information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging	: Empty containers should be taken to an approved waste	
	handling site for recycling or disposal.	



SYMIC PCE C393

Version	Revi
3.1	09.03

ision Date:)3.2022 SDS Number: 102000022736

Print Date: 11.03.2022 Date of first issue: 16.03.2015

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable

15.2 Chemical safety assessment



SYMIC PCE C393

Version	Revision Date:	SDS Number: 102000022736	Print Date: 11.03.2022
3.1	09.03.2022		Date of first issue: 16.03.2015

SECTION 16: Other information

Full text of other abbreviations

2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN



SYMIC PCE C393

VersionRevision Date:SDS Number:Print Date:11.03.20223.109.03.2022102000022736Date of first issue:16.03.2015