according to Regulation (EC) No. 1907/2006



# SYMIC C393

Version	Revision Date:	SDS Number:	Print Date: 21.01.2023
4.0	20.01.2023	102000022309	Date of first issue: 08.10.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product	identifier

Trade name	: SYMIC C393

Product code	:	021019MJ0
--------------	---	-----------

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	
Substance/Mixture	

### : Colouring agents, pigments

### 1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein	
Telephone	: +499152770	
Telefax	: +499152777008	
E-mail address of person responsible for the SDS	: msds.eckart@altana.com	<u>n</u>

### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

### **Additional Labelling**

EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe



# SYMIC C393

Version	Revision Date:	SDS Number:	Print Date: 21.01.2023
4.0	20.01.2023	102000022309	Date of first issue: 08.10.2014

dust.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Componenta			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Substances with a workplace e	exposure limit :		
Fluorphlogopite	12003-38-2		>= 25 - < 50
(Mg3K[AIF2O(SiO3)3])			
	234-426-5		
	01-2119971065-37		
For explanation of abbreviation	as see section 16		

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.



# SYMIC C393

Version	Revision Date:	SDS Number:	Print Date: 21.01.2023
4.0	20.01.2023	102000022309	Date of first issue: 08.10.2014

### 4.3 Indication of any immediate medical attention and special treatment needed

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

Not applicable

### 5.2 Special hazards arising from the substance or mixture

This information is not available.

# **5.3 Advice for firefighters** Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
		circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	:	Avoid dust formation.			
6.2 Environmental precautions					
Environmental precautions	:	No special environmental precautions required.			

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the
	application area.



# SYMIC C393

Version 4.0	Revision Date: 20.01.2023		OS Number: 2000022309	Print Date: 21.01.2023 Date of first issue: 08.10.2014	
	Advice on protection against fire and explosion		Provide appropriate exhaust ventilation at places where on is formed.		
Hygie	Hygiene measures		General industrial hygiene practice.		
7.2 Condi	tions for safe storage,	inc	luding any incor	npatibilities	
	irements for storage and containers	:		ations / working materials must comply with al safety standards.	
Advid	ce on common storage	:	No materials to	be especially mentioned.	
	er information on ge stability	:	Keep in a dry pl No decomposition	ace. on if stored and applied as directed.	

### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply of particles of a particular part response that distinguishes and 'respirable material that e available for of to the fraction definitions and contain comply should be com	hation: For the purpo are those fractions g is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or gre or 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. icle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the deposition in the resp that penetrates to the decomposition in the resp that penetrates to the decomposition in the resp that penetrates to the decompos	ses of these limits, respirable of airborne dust which will be cordance with the methods ampling and gravimetric and aerosols., The COSHH defir cludes dust of any kind when ater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du- igned specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a ne human respiratory system the nature and size of the pro- limit-setting purposes terms oproximates to the fraction of mouth during breathing and iratory tract. Respirable dus and are given in MDHS14/4., No ir own assigned WEL, all the no specific short-term exposi- exposure limit should be use	e collected described in alysis or nition of a present at a TWA of is means that ust above these contain nd fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore t approximates he lung. Fuller Where dusts e relevant limits ure limit is listed, ed.
		TWA (Inhalable)	10 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



# SYMIC C393

/ersion .0	Revision Da 20.01.2023			rint Date: 21.01.2023 ate of first issue: 08.10.201	4
			TWA (Respirable dust)	4 mg/m3	GB EH40
		inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply of particles of a particular part response that distinguishes and 'respirable material that e available for of to the fraction definitions and contain compo- should be com	are those fractions g is undertaken in a eneral methods for pracic and inhalable zardous to health in in air equal to or gr or 4 mg.m-3 8-hou be subject to COSH dusts have been as with the appropriate wide range of sizes icle after entry into it elicits, depend or two size fractions for e'., Inhalable dust a enters the nose and leposition in the res that penetrates to to d explanatory mater onents that have the nplied with., Where	oses of these limits, respiral of airborne dust which will accordance with the method sampling and gravimetric and aerosols., The COSHH defi- cludes dust of any kind whe eater than 10 mg.m-3 8-hou in TWA of respirable dust. T H if people are exposed to de- signed specific WELs and e- limits., Most industrial dust . The behaviour, deposition the human respiratory system of the nature and size of the primit-setting purposes terr pproximates to the fraction mouth during breathing and piratory tract. Respirable du- the gas exchange region of rial are given in MDHS14/4. eir own assigned WEL, all the no specific short-term expo	be collected is described in nalysis or finition of a en present at a ur TWA of his means that dust above these exposure to these s contain and fate of any em, and the body particle. HSE ned 'inhalable' of airborne d is therefore ust approximates the lung. Fuller , Where dusts ne relevant limits sure limit is liste
		a figure three	times the long-term TWA (Respirable fraction)	exposure limit should be u 4 mg/m3	GB EH40
	ohlogopite K[AIF2O(SiO	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
, =,		Further inform	nation: Indicative		I.
diiron	trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40
			TWA (Respirable fraction)	4 mg/m3	GB EH40
			TWA (inhalable dust)	10 mg/m3	GB EH40
		inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply of particles of a particular part response that	are those fractions g is undertaken in a eneral methods for pracic and inhalable zardous to health in in air equal to or gr or 4 mg.m-3 8-hou be subject to COSH dusts have been as with the appropriate wide range of sizes icle after entry into it elicits, depend or	oses of these limits, respiral of airborne dust which will accordance with the method sampling and gravimetric and aerosols., The COSHH defi- cludes dust of any kind whe eater than 10 mg.m-3 8-hou in TWA of respirable dust. T H if people are exposed to a signed specific WELs and e limits., Most industrial dust the behaviour, deposition the human respiratory system in the nature and size of the pr limit-setting purposes terr	be collected ls described in nalysis or finition of a en present at a ur TWA of his means that dust above thes exposure to thes s contain and fate of any em, and the bod particle. HSE

according to Regulation (EC) No. 1907/2006



# SYMIC C393

Version 4.0	Revision Date: 20.01.2023	SDS Number: 102000022309	Print Date: 21.01.202 Date of first issue: 08.	
	mat ava to th defi con sho	erial that enters the nose ilable for deposition in the ne fraction that penetrate nitions and explanatory r tain components that hav uld be complied with., W	-term exposure limit shou	hing and is therefore rable dust approximates gion of the lung. Fuller IS14/4., Where dusts EL, all the relevant limits m exposure limit is listed,
	inha	dust) her information: For the lable dust are those frac	purposes of these limits, tions of airborne dust wh n in accordance with the	respirable dust and ich will be collected
	resp sub con inha any leve mus part part resp dist and mat ava to th defi con sho	birable, thoracic and inha stance hazardous to hea centration in air equal to alable dust or 4 mg.m-3 & dust will be subject to C els. Some dusts have bee st comply with the approp icles of a wide range of s icular particle after entry ponse that it elicits, depending inguishes two size fraction 'respirable'., Inhalable d erial that enters the nose ilable for deposition in the fraction that penetrate nitions and explanatory r tain components that have uld be complied with., W	priate limits., Most industr sizes. The behaviour, dep into the human respirato and on the nature and size ons for limit-setting purpo- ust approximates to the f and mouth during breat e respiratory tract. Respin s to the gas exchange re naterial are given in MDH ve their own assigned WI	SHH definition of a ind when present at a -3 8-hour TWA of dust. This means that sed to dust above these as and exposure to these ial dusts contain position and fate of any ry system, and the body of the particle. HSE ses termed 'inhalable' raction of airborne hing and is therefore rable dust approximates gion of the lung. Fuller HS14/4., Where dusts EL, all the relevant limits m exposure limit is listed,

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	<b>\</b>	0 0	<b>、</b>	
Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3] )	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

### 8.2 Exposure controls

# Personal protective equipmentEye/face protection:Skin and body protection:Protective suitRespiratory protection:No personal respiratory protective equipment normally<br/>required.



# SYMIC C393

Version	Revision Date:	SDS Number:	Print Date: 21.01.2023
4.0	20.01.2023	102000022309	Date of first issue: 08.10.2014

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

 Physical state	:	powder
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available

according to Regulation (EC) No. 1907/2006



# SYMIC C393

Version 4.0	Revision Date: 20.01.2023	SDS Number: 102000022309	Print Date: 21.01.2023 Date of first issue: 08.10.2014						
Relat	Relative vapour density : No data available								
	<b>information</b> ata available								
SECTION	N 10: Stability and r	eactivity							
	ctivity ecomposition if stored a nical stability	and applied as directe	d.						
No de	ecomposition if stored	and applied as directe	d.						
	sibility of hazardous r								
Haza	rdous reactions		ecommended storage conditions. be specially mentioned.						
10.4 Cond	ditions to avoid								
Cond	litions to avoid	: No data availa	ble						
10.5 Inco	mpatible materials								
	rdous decomposition nation is not available.	n products							
SECTION	N 11: Toxicological	information							
11.1 Infor	mation on hazard cla	sses as defined in R	egulation (EC) No 1272/2008						
	<b>e toxicity</b> lassified based on ava	ilable information.							
	Skin corrosion/irritation Not classified based on available information.								
	ous eye damage/eye i lassified based on ava								
Resp	piratory or skin sensit	isation							
-	Skin sensitisation								

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

# SYMIC C393



Version 4.0	Revision Date: 20.01.2023	SDS Number: 102000022309	Print Date: 21.01.2023 Date of first issue: 08.10.2014							
•	oductive toxicity lassified based on ava	ailable information.								
	<b>Γ - single exposure</b> lassified based on ava	ailable information.								
	<b>STOT - repeated exposure</b> Not classified based on available information.									
-	ration toxicity lassified based on ava	ailable information.								
11.2 Infor	mation on other haza	ards								
Furth	er information									
Prod Rema		: No data availal	ble							
SECTION	N 12: Ecological inf	ormation								
<b>12.1 Toxi</b> No da	<b>city</b> ata available									
	<b>istence and degrada</b> ata available	bility								
	<b>ccumulative potentia</b> ata available	al								
	i <b>lity in soil</b> ata available									
12.5 Resu	Ilts of PBT and vPvB	assessment								
Prod Asse	<u>uct:</u> ssment	to be either per	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of							
	ocrine disrupting pro ata available	perties								
12.7 Othe	r adverse effects									
Prod	uct:									

### Product:

Additional ecological	:	No data available
information		

Revision Date:

20.01.2023



Print Date: 21.01.2023

Date of first issue: 08.10.2014

# SYMIC C393

Version

4.0

4.0	20.01.2023	10	2000022309	Date of first issue: 08.10.2014
Comp	oonents:			
Fluor	phlogopite (Mg3K[AIF	20(	SiO3)3]):	
Additio	litional ecological : No data available rmation			
SECTION	13: Disposal consid	dera	ations	
13.1 Waste	e treatment methods			
Conta	minated packaging	:		should be taken to an approved waste ecycling or disposal.
SECTION	14: Transport infor	mat	tion	
14.1 UN nu	umber or ID number			
ADR		:	Not regulated as	a dangerous good
IMDG		:	Not regulated as	a dangerous good
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.2 UN pr	oper shipping name			
ADR		:	Not regulated as	a dangerous good
IMDG		:	Not regulated as	a dangerous good
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.3 Trans	port hazard class(es)			
ADR		:	Not regulated as	a dangerous good
IMDG		:	Not regulated as	a dangerous good
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.4 Packi	ng group			
ADR		:	Not regulated as	a dangerous good
IMDG		:	-	a dangerous good
ΙΑΤΑ	(Cargo)	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	:	Not regulated as	a dangerous good
14.5 Envir	onmental hazards			
Not re	gulated as a dangerous	s go	od	
-	al precautions for use	er		
Rema	rks	:	Not classified as regulations.	dangerous in the meaning of transport

SDS Number:

102000022309



# SYMIC C393

Version	Revision Date:	SDS Number:	Print Date: 21.01.2023
4.0	20.01.2023	102000022309	Date of first issue: 08.10.2014

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

### Full text of H-Statements

### Full text of other abbreviations

2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



# SYMIC C393

Version	Revision Date:	SDS Number:	Print Date: 21.01.2023
4.0	20.01.2023	102000022309	Date of first issue: 08.10.2014

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN