

LUXAN D522

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
3.0	27.01.2023	102000030526	Date of first issue: 25.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name	:	LUXAN D522
I rade name	:	LUXAN D522

Product code :	020247ML0
----------------	-----------

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Cosmetic products
Substance/Mixture		Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



LUXAN D522

Version 3.0	Revision Date: 27.01.2023		DS Number: 02000030526	Print Date: 31.01.2023 Date of first issue: 25.09.2018		
SECTIO	N 3: Composition/inf	orm	nation on ingre	dients		
3.2 Mixtu	res					
Com Rema	ponents arks	:	No hazardous i	ngredients		
SECTIO	N 4: First aid measur	es				
4.1 Descr	iption of first aid meas	ure	s			
Gene	eral advice	:	No hazards wh	ich require special first aid measures.		
lf inh	aled	:	advice.	place in recovery position and seek medical		
In ca	se of skin contact	:	Wash off with s			
In ca	se of eye contact	:	Remove contac	ot lenses.		
lf swa	allowed	:	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 			
	important symptoms a known.	nd e	effects, both acu	ute and delayed		
4.3 Indica	ntion of any immediate	me	dical attention a	nd special treatment needed		
SECTION	N 5: Firefighting mea	sur	es			
5.1 Extine	guishing media					
	ble extinguishing media	:	Not combustible	е.		
-	al hazards arising fron nation is not available.	n the	e substance or r	nixture		
5.3 Advic	e for firefighters					
	ial protective equipment efighters	:	: Wear self-contained breathing apparatus for firefighting if necessary.			

for firefighters necessary. Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXAN D522

Version 3.0	Revision Date: 27.01.2023		DS Number: 02000030526	Print Date: 31.01.2023 Date of first issue: 25.09.2018
			circumstances a	nd the surrounding environment.
SECTIO	N 6: Accidental releas	se i	neasures	
6.1 Perso	onal precautions, protec	ctiv	e equipment and	emergency procedures
Pers	onal precautions	:	Avoid dust forma	ation.
	onmental precautions		No openial opvir	anneatel procestions required
EUVI	ronmental precautions	•	No special enviro	onmental precautions required.
6 2 Moth	ada and motorial for an	-	nment and clean	ing
	ods and material for con nods for cleaning up	ntai		nge disposal without creating dust.
Mett	ious for cleaning up	•	Sweep up and s	
6.4 Refer	ence to other sections			
For perso	onal protection see section	n 8.		
SECTIO	N 7: Handling and sto	ora	ge	
7 1 Proce	autions for safe handlin	a		
	ce on safe handling	У	For personal pro	tection see section 8.
Auvi	ce on sale handling	•		and drinking should be prohibited in the
	ce on protection against and explosion	:	Normal measure	es for preventive fire protection.
Hygi	ene measures	:	General industria	al hygiene practice.
7 2 Cond	litions for safe storage,	inc	luding any incom	natibilities
	interiorer caro otorago,			

Requirements for storage
areas and containers: Electrical installations / working materials must comply with
the technological safety standards.Advice on common storage: No materials to be especially mentioned.Further information on
storage stability: No decomposition if stored and applied as directed.



LUXAN D522

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
3.0	27.01.2023	102000030526	Date of first issue: 25.09.2018

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis				
diiron trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40				
		TWA (Respirable	4 mg/m3	GB EH40				
		fraction)	-					
		TWA (inhalable	10 mg/m3	GB EH40				
	Eurthor inform	dust)	and of these limits reasirable					
			ses of these limits, respirabl of airborne dust which will be					
			ccordance with the methods					
			ampling and gravimetric ana					
			aerosols., The COSHH defir					
			cludes dust of any kind when					
			ater than 10 mg.m-3 8-hour					
			TWA of respirable dust. Thi					
			l if people are exposed to du					
			signed specific WELs and ex					
			limits., Most industrial dusts					
	particles of a	wide range of sizes.	The behaviour, deposition a	nd fate of any				
			ne human respiratory system					
			the nature and size of the pa					
		distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne						
	material that enters the nose and mouth during breathing and is therefore							
		available for deposition in the respiratory tract. Respirable dust approximates						
			e gas exchange region of th					
			al are given in MDHS14/4., \					
			ir own assigned WEL, all the					
	should be complied with., Where no specific short-term exposure limit is list a figure three times the long-term exposure limit should be used.							
	a ligure three			GB EH40				
		TWA (Respirable dust)	4 mg/m3	GB EH40				
	Further inform	,	ses of these limits, respirabl	e dust and				
			of airborne dust which will be					
	when samplin	g is undertaken in a	ccordance with the methods	described in				
	MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of							
	inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that							
	any dust will be subject to COSHH if people are exposed to dust above these							
	levels. Some dusts have been assigned specific WELs and exposure to these							
	must comply with the appropriate limits., Most industrial dusts contain							
	particles of a	wide range of sizes.	The behaviour, deposition a	nd fate of any				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXAN D522

Version	Revision Date: 27.01.2023	SDS Number:	Print Date: 31.01.2023
3.0		102000030526	Date of first issue: 25.09.2018
	respondisting disting and ' mate availato to the definic contations shou	onse that it elicits, dependent of the elicits, dependent of the elicits, dependent of the elicits, dependent of the elicits, and explanatory and explanatory and explanatory and be complied with., V	y into the human respiratory system, and the body end on the nature and size of the particle. HSE ons for limit-setting purposes termed 'inhalable' dust approximates to the fraction of airborne e and mouth during breathing and is therefore he respiratory tract. Respirable dust approximates es to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts ave their own assigned WEL, all the relevant limits /here no specific short-term exposure limit is listed, g-term exposure limit should be used.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses
---------------------	---	----------------

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	copper
Odour	:	odourless
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LUXAN D522



Versi 3.0	ion	Revision Date: 27.01.2023	-	S Number: 2000030526	Print Date: 31.01.2023 Date of first issue: 25.09.2018
	pН		:	substance/mixtu	re is non-soluble (in water)
	Visc	osity, kinematic	:	No data available	9
:	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	ubility in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n- /water	:	No data available	9
,	Vapour	pressure	:	No data available	9
	Relative	e density	:	No data available	9
	Density	,	:	2.6 g/cm3	
	Bulk de	ensity	:	0.33 g/cm3	
	Relative	e vapour density	:	No data available	9

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.



LUXAN D522

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
3.0	27.01.2023	102000030526	Date of first issue: 25.09.2018

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available



LUXAN D522

Version 3.0	Revision Date: 27.01.2023	SDS Number: 102000030526	Print Date: 31.01.2023 Date of first issue: 25.09.2018			
	stence and degradabi	ility				
	12.3 Bioaccumulative potential No data available					
	12.4 Mobility in soil No data available					
12.5 Resu	Its of PBT and vPvB a	issessment				
Produ	uct:					
Asses	ssment	to be either p	ce/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er.			
	crine disrupting prop ata available	erties				
	r adverse effects					
<u>Produ</u> Additi inform	onal ecological	: No data avail	able			
SECTION	l 13: Disposal consi	derations				
13.1 Wast	e treatment methods					

Product	:	In accordance with local and national regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. In accordance with local and national regulations.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good



LUXAN D522

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023		
3.0	27.01.2023	102000030526	Date of first issue: 25.09.2018		
IMDO	;	: Not regulated	as a dangerous good		
ΙΑΤΑ		: Not regulated	Not regulated as a dangerous good		
14.3 Tran	sport hazard class(es)			
ADR		: Not regulated	as a dangerous good		
IMDO	3	: Not regulated	as a dangerous good		
ΙΑΤΑ		: Not regulated	as a dangerous good		
14.4 Pack	ing group				
ADR		: Not regulated	as a dangerous good		
IMDO	6	: Not regulated	as a dangerous good		
ΙΑΤΑ	(Cargo)	: Not regulated	as a dangerous good		
ΙΑΤΑ	(Passenger)	: Not regulated	as a dangerous good		
14.5 Envi	ronmental hazards				
Not re	egulated as a dangerou	is good			
14.6 Spec	ial precautions for us	er			
Rema	arks	: Not classified	as dangerous in the meaning of transport		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

regulations.

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available



LUXAN D522

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
3.0	27.01.2023	102000030526	Date of first issue: 25.09.2018

SECTION 16: Other information

Full text of other abbreviations

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID · Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN



LUXAN D522

VersionRevision Date:SDS Number:Print Date: 31.01.20233.027.01.202310200030526Date of first issue: 25.09.2018