according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: MASTERSAFE MP 10-20B
Product code	: 052423FA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART Suisse SA Route de la Brasserie 2 1963 Vétroz
Telephone	:	+410273454800
Telefax	:	+410273454859
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.3 Other hazards

Combustible Solids

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC-No.ATION (EC) No(% w/w)Index-No.1272/2008Registration number	Components				
aluminium powder (stabilised) 7429-90-5 Flam. Sol. 1; H228 >= 50 - <= 100	Chemical name	EC-No. Index-No.	ATION (EC) No	Concentration (% w/w)	
231-072-3 013-002-00-1		Registration number			
01-2119529243-45	aluminium powder (stabilised)	231-072-3	Flam. Sol. 1; H228	>= 50 - <= 100	
For explanation of obbraviations and eastion 16					

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice		Move the victim to fresh air.	
		Do not leave the victim unattended.	
If inhaled	:	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	:	Wash off immediately with soap and plenty of water.	
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.	
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	

4.2 Most important symptoms and effects, both acute and delayed

None known.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	ABC powder Carbon dioxide (CO2) Water Foam
5.2 Special hazards arising from Specific hazards during firefighting		e substance or mixture Contact with water liberates extremely flammable gas (hydrogen).
5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	Wear self-contained breathing apparatus for firefighting if necessary. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

•	e equipment and emergency procedures Use personal protective equipment. Evacuate personnel to safe areas. Avoid dust formation.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. No special environmental precautions required.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment.
	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

SECTION 7: Handling and storage

7.1	Precautions for safe handling	g	
	Advice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Store away from heat. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
	Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	General industrial hygiene practice.
7.2	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking. Keep container closed when not in use.
			Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water.
	Advice on common storage	:	Do not store near acids. Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents and strongly acid or alkaline materials.
			No materials to be especially mentioned.
	Further information on storage stability	:	No decomposition if stored and applied as directed.
70	0		

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version 4.1	Revision Dat 02.04.2024			Print Date: 15.04.2024 Date of first issue: 13.01.2014	
			TWA (Respirable fraction)	4 mg/m3	GB EH40
			TWA (inhalable dust)	10 mg/m3	GB EH40
		inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part	t are those fractions of is undertaken in eneral methods for pracic and inhalable zardous to health ir in air equal to or g t or 4 mg.m-3 8-hou be subject to COSH dusts have been as with the appropriate wide range of sizes ticle after entry into	oses of these limits, respirables of airborne dust which will be accordance with the methods sampling and gravimetric and a aerosols., The COSHH define includes dust of any kind when reater than 10 mg.m-3 8-hour ur TWA of respirable dust. This H if people are exposed to designed specific WELs and ex- se limits., Most industrial dusts the behaviour, deposition at the human respiratory system of the nature and size of the p	e collected described in alysis or nition of a present at a TWA of s means that ust above these posure to these contain and fate of any n, and the body

levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.								
TWA (Respirable 4 mg/m3 GB EH40 dust)								
inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirable material that e available for c to the fraction definitions and contain comp should be cor	are those fractions of g is undertaken in ac- eneral methods for s- pracic and inhalable a zardous to health inc- in air equal to or greater or 4 mg.m-3 8-hour be subject to COSHH dusts have been assess with the appropriate lawide range of sizes. icle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the dexplanatory material onents that have the inplied with., Where r	ses of these limits, respirable of airborne dust which will be cordance with the methods of ampling and gravimetric anal aerosols., The COSHH defin ludes dust of any kind when ater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du igned specific WELs and exp imits., Most industrial dusts The behaviour, deposition and the nature and size of the part r limit-setting purposes termed proximates to the fraction of mouth during breathing and i iratory tract. Respirable dust and are given in MDHS14/4., V ir own assigned WEL, all the postier short-term expost exposure limit should be use	e collected described in lysis or ition of a present at a TWA of a means that ast above these contain and fate of any and the body article. HSE ed 'inhalable' airborne s therefore t approximates e lung. Fuller Vhere dusts relevant limits ure limit is listed,					

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	
aluminium powder	Workers	Inhalation	Long-term systemic	3.72 mg/m3
(stabilised)			effects	
	Workers	Inhalation	Long-term local	3.72 mg/m3
			effects	
	Consumers	Oral	Long-term systemic	3.95 mg/kg
			effects	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipn	nent	
Eye/face protection Hand protection	:	Safety glasses
Material	:	Protective gloves
Remarks		The suitability for a specific workplace should be discussed with the producers of the protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Skin and body protection	:	Long sleeved clothing Protective suit
Respiratory protection	:	Use suitable breathing protection if workplace concentration requires. Breathing apparatus with filter. P1 filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	pellets
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	100 - 120 °C
Boiling point/boiling range	:	Not applicable

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Ver 4.1	sion	Revision Date: 02.04.2024		S Number: 2000020102	Print Date: 15.04.2024 Date of first issue: 13.01.2014
	Flamm	ability	:	Combustible Sol	ids
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Flash p	point	:	Not applicable	
	Auto-ig	gnition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Viscos	ity, kinematic	:	No data available	9
		lity(ies) solubility lity in other solvents	:	insoluble No data available	9
	Partitio octano	on coefficient: n-	:	No data available	9
		r pressure	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	y	:	2.36 g/cm3	
	Relativ	e vapour density	:	No data available	9
		e characteristics ticle Size Distribution	:	No data available	2
9.2		nformation a available			

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version 4.1	Revision Date: 02.04.2024	•	S Number: 000020102	Print Date: 15.04.2024 Date of first issue: 13.01.2014
			No hazards to be	ommended storage conditions. e specially mentioned. xplosive mixture in air.
10.4 Condi	tions to avoid			
Conditions to avoid		:	No data available	9
10.5 Incompatible materials				
Materia	als to avoid	:	Acids Bases Oxidizing agents Water	

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity

: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

ve toxicity ed based on ava- gle exposure ed based on ava- eated exposure ed based on ava- toxicity ed based ava- toxicit	vailable i re vailable i vailable i zards : format	nformation. Information. Information. No data availa	able
ed based on available eated exposur ed based on available a on other haz prmation	re vailable i vailable i zards : format	nformation. nformation. No data availa	able
ed based on available toxicity ed based on available ormation Ecological in ilable e and degrada	vailable i vailable i zards : iformat	nformation. No data availa	able
ed based on avainant on other haz formation Ecological in ilable and degrada	zards : nformat	No data availa	able
Ecological in ilable and degrada	: aformat		able
Ecological in ilable and degrada	ability		able
ilable e and degrada ilable	ability		able
ilable e and degrada ilable	ability	tion	
and degrada ilable	-		
ilable	-		
lative potentia	al		
ilable			
soil ilable			
PBT and vPvE	3 asses	sment	
t	:	to be either pe	e/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or at and very bioaccumulative (vPvB) at levels of r.
disrupting pro	operties	5	
rse effects			
cological	:	No data availa	able
	ilable rse effects	ilable rse effects	0.1% or highe disrupting properties ilable rse effects

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version 4.1	Revision Date: 02.04.2024		lumber: 0020102	Print Date: 15.04.2024 Date of first issue: 13.01.2014
SECTIO	N 13: Disposal consi	deratio	ns	
Europ	bean Waste Catalogue			particulates and dust (including ball-mill dust) dous substances
	e treatment methods aminated packaging			s should be taken to an approved waste recycling or disposal.
SECTIO	N 14: Transport info	matior)	
14.1 UN n	umber or ID number			
ADR		: No	t regulated as	a dangerous good
IMDG	6	: No	t regulated as	a dangerous good
ΙΑΤΑ		: No	t regulated as	a dangerous good
14.2 UN p	oroper shipping name			
ADR		: No	t regulated as	a dangerous good
IMDG	i	: No	t regulated as	a dangerous good
ΙΑΤΑ		: No	t regulated as	a dangerous good
14.3 Tran	sport hazard class(es)			
ADR		: No	t regulated as	a dangerous good
IMDG	;	: No	t regulated as	a dangerous good
ΙΑΤΑ		: No	t regulated as	a dangerous good
14.4 Pack	ing group			
ADR		: No	t regulated as	a dangerous good
IMDG	6	: No	t regulated as	a dangerous good
ΙΑΤΑ	(Cargo)	: No	t regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	: No	t regulated as	a dangerous good
	ronmental hazards egulated as a dangerou	s good		
-	ial precautions for us			
Rema	arks		et classified as gulations.	dangerous in the meaning of transport

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: aluminium powder (stabilised) (Number on list 40)
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	aluminium powder (stabilised)
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors		

This product is regulated by Regulation (EU) 2019/1148: all aluminium powder (stabilised) suspicious transactions, and significant disappearances and thefts (ANNEX II) should be reported to the relevant national contact point.

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements					
H228	:	Flammable solid.			
Full text of other abbreviations					
Flam. Sol.	:	Flammable solids			
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits			
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response;

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 10-20B

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
4.1	02.04.2024	102000020102	Date of first issue: 13.01.2014

EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN