Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	STAPA HYDROXAL V 57137 Aluminium Paste
Material number	:	024044KA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH
	Guentersthal 4
	91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address	: msds.eckart@altana.com
Responsible/issuing person	

1.4 Emergency telephone number

NCEC: (contract no.: ECKART29003-NCEC) +44 1235 239671 (Middle East/Africa, call and response in your language) +1 215 207 0061 (Americas, call and response in your language) +65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification

GHS Classification

Skin corrosion/irritation, Category 3, H316 : Serious eye damage/eye irritation, Category 1, H318 Short-term (acute) aquatic hazard, Category 3, H402

Page 1 / 17	102000029830	A member of C ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

Long-term (chronic) aquatic hazard, Category 3, H412

C ECKART

GHS-Labelling	
Symbol(s) :	
Signal word :	Danger
Hazard statements :	H316: Causes mild skin irritation. H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects.
Precautionary statements :	Prevention:P273Avoid release to the environment.P280Wear eye protection/ face protection.Response:P305 + P354 + P338 + P317IF IN EYES: Immediately rinsewith water for several minutes. Remove contact lenses, ifpresent and easy to do. Continue rinsing. Get medical help.P332 + P317If skin irritation occurs: Get medical help.Disposal:P501Dispose of contents/ container to an approved wastedisposal plant.

Hazardous components which must be listed on the label

Identification	CAS-No.
Phosphoric acid, C11-14-isoalkyl esters,	154518-38-4
C13-rich	

Other hazards which do not result in classification

Combustible Solids

SECTION 3: Composition/information on ingredients

Page 2 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

÷

Version 2.1

Revision Date 22.09.2021

Print Date 20.05.2022

Substance No.

Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
aluminium powder (stabilised)	7429-90-5 231-072-3	Flam. Sol.;1;H228	50 - 100
Phosphoric acid, C11-14-isoalkyl esters, C13-rich	154518-38-4 (52933-07-0)	;2;H315 ;1;H318 Aquatic Acute;2;H401 Aquatic Chronic;2;H411	3 - 10
Alcohols, C11-14-iso-, C13-rich	68526-86-3 271-235-6	Aquatic Acute;1;H400	0,25 - 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move the victim to fresh air. Do not leave the victim unatten	ded.
	Move out of dangerous area. Consult a physician. Show this safety data sheet to t	he doctor in attendance.
If inhaled	 If unconscious, place in recover advice. If symptoms persist, call a phys 	
In case of skin contact	: Wash off immediately with soap	o and plenty of water.
Page 3 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022
	If skin irritation persists, call a physicia If on skin, rinse well with water. If on clothes, remove clothes.	an.
In case of eye contact	: Immediately flush eye(s) with plenty o	f water.
	Small amounts splashed into eyes can tissue damage and blindness. Remove contact lenses. Keep eye wide open while rinsing.	n cause irreversible
If swallowed	 Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverage Never give anything by mouth to an use of symptoms persist, call a physician. Take victim immediately to hospital. 	

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Dry sand, Special powder against metal fire
Unsuitable extinguishing media	: ABC powder, Carbon dioxide (CO2), Water, Foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during	: Contact with water liberates ext	remely flammable gas
Page 4 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022
firefighting	(hydrogen).	
	Do not allow run-off from fire fighting to en courses.	ter drains or water
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Wear self-contained breathing apparatus f necessary.	or firefighting if
Further information	: Collect contaminated fire extinguishing ware must not be discharged into drains. Fire recontaminated fire extinguishing water must accordance with local regulations.	sidues and

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas. Use personal protective equipment. Use personal protective equipment. Avoid dust formation.
6.2 Environmental precautions	
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and materials for cont	tainment and cleaning up
Methods for cleaning up	: Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Page 5 / 17	102000029830	A member of C ALTANA
-------------	--------------	----------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against fire and explosion	:	Avoid dust formation.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	cl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking. Keep container closed when not in use.
			Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
	Advice on common storage	:	Do not store near acids. Do not store together with oxidizing and self-igniting products. Keep away from oxidizing agents and strongly acid or alkaline materials. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Page 6 / 17	102000029830	A member of C ALTANA
-------------	--------------	----------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

Other data

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis	
aluminium	7429-90-5	AGW (Inhalable	10 mg/m3	2014-04-02	DE TRGS 900	
powder		fraction)				
(stabilised)						
Peak-limit: exc	ursion	2;(II)				
factor (categor	<u>y)</u>					
aluminium powder (stabilised)	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900	
Peak-limit: exc	Peak-limit: excursion		2;(II)			
factor (categor	factor (category)					
2,2',2"- nitrilotriethan ol	102-71-6	AGW (Inhalable fraction)	1 mg/m3	2018-06-07	DE TRGS 900	
Peak-limit: excursion factor (category)		1;(l)				
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				

8.2 Exposure controls

Page 7 / 17 10200002983	A member of C ALTANA
-------------------------	----------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

Personal protective equipment			
Eye protection	:	Goggles	
	:	Wear face-shield and protective suit for abnormal processing problems.	
Hand protection			
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Respiratory protection	:	Use suitable breathing protection if workplace concentration requires.	
Environmental exposure co General advice	ontr :	ols	
	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.	
Water	:	The product should not be allowed to enter drains, water courses or the soil.	
	•		

ſ	Page 8 / 17	102000029830	A member of C ALTANA

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1

Revision Date 22.09.2021

Print Date 20.05.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Pasty solid
Colour	: silver
Odour	: characteristic
рН	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Bulk density	: No data available
Flammability (solid, gas)	: Combustible Solids
Auto flormobility	: No data available
Auto-flammability	
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Miscibility with water	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available

Page 9 / 17	102000029830	A member of C ALTANA
-------------	--------------	-----------------------------

C ECKART



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Contact with acids and alkalis may release hydrogen.
	Stable under recommended storage conditions.
10.4 Conditions to avoid	
Conditions to avoid	: Do not allow evaporation to dryness.
	No data available

10.5 Incompatible materials

Materials to avoid

: Acids Bases Oxidizing agents

10.6 Hazardous decomposition products

Page 10 / 17	102000029830	A member of C ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.20
Hazardous decomposition products	: No data available	
Other information	: No data available	
SECTION 11: Toxicological i	nformation	
11.1 Information on toxicologic	al effects	
Acute toxicity		
No data available		
Skin corrosion/irritation		
Product		
May cause skin irritation and	/or dermatitis.	
Serious eye damage/eye irritatio	on	
Product		
May cause irreversible eye d	amage.	
Respiratory or skin sensitisatio	n	
No data available		
Carcinogenicity		
No data available		
Toxicity to reproduction/fertility	1	
No data available		
Reprod.Tox./Development/Tera	togenicity	
Page 11 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product

No data available

SECTION 12: Ecological information

12.1 Toxicity

<u>Components:</u> Phosphoric acid, C11-14-iso	alkyl esters, C13-rich (154518-38	3-4) :
Toxicity to fish	: LC50 (Oncorhynchus mykiss (Exposure time: 96 h	(rainbow trout)): 24 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water Exposure time: 48 h	⁻ flea)): 6,31 mg/l
Toxicity to algae	: EC50 (algae): 150 mg/l Exposure time: 72 h	
ge 12 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	
-------------	--

Revision Date 22.09.2021

Print Date 20.05.2022

Alcohols, C11-14-iso-, C13-rich (68526-86-3) : M-Factor : 1

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Product:

Additional ecological	: An environmental hazard cannot be excluded in the event of
information	unprofessional handling or disposal., Harmful to aquatic life
	with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with 	
Page 13 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022
	chemical or used container. Send to a licensed waste managemer In accordance with local and national	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national	regulations.

SECTION 14: Transport information

14.1 UN number	
ADR	
Not dangerous goods	
TDG	
Not dangerous goods	
CFR	
Not dangerous goods	
IMDG	
Not dangerous goods	
ΙΑΤΑ	:
ΙΑΤΑ	: Not permitted for transport
14.2 Proper shipping name	
ADR	
Not dangerous goods	
TDG	
Not dangerous goods	
CFR	
Not dangerous goods	

Page 14 / 17	102000029830	A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022
IMDG		
Not dangerous goods		
ΙΑΤΑ	:	
	Not permitted for transport	
14.3 Transport hazard class		
ADR		
Not dangerous goods		
TDG		
Not dangerous goods		
CFR		
Not dangerous goods		
IMDG		
Not dangerous goods		
ΙΑΤΑ	: Not permitted for transport	
14.4 Packing group		
ADR		
Not dangerous goods		
TDG		
Not dangerous goods		
CFR		
Not dangerous goods		
IMDG		
Not dangerous goods		
IATA		
	· Not pormitted for transport	
(Cargo) (Bassangor)	: Not permitted for transport	
(Passenger)	: Not permitted for transport	

Page 15 / 17 102000029830 A mem	nber of 🜔 ALTANA
---------------------------------	------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1

Revision Date 22.09.2021

Print Date 20.05.2022

14.5 Environmental hazards

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

Due to the risk of hydrogen development we recommend to refrain from airfreighting this/these product(s).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Restriction REACH - Candidate List of Su Concern for Authorisation (Art	, ,	: N	lot applicable
Prohibition/Restriction Regulation (EC) No 1005/2009 deplete the ozone layer	9 on substances that	: N	Not applicable
Prohibition/Restriction Regulation (EU) 2019/1021 or pollutants (recast)	n persistent organic	: N	lot applicable
Prohibition/Restriction REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)		(;	Banned and/or restricted aluminium powder (stabilised)) Phosphoric acid, C11-14-isoalkyl esters, C13-rich)
Page 16 / 17	102000029830		A member of C ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

STAPA HYDROXAL V 57137 Aluminium Paste

Version 2.1	Revision Date 22.09.2021	Print Date 20.05.2022

(Alcohols, C11-14-iso-, C13-rich) (2,2'-iminodiethanol)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H228 :	Flammable solid.
H315 :	Causes skin irritation.
H316 :	Causes mild skin irritation.
H318 :	Causes serious eye damage.
H400 :	Very toxic to aquatic life.
H401 :	Toxic to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 17 / 17	102000029830	A member of C ALTANA
--------------	--------------	-----------------------------