

METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: METALSTAR PANTONE 07 4871 Supergloss 871
Product code	: 070357RN0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colorant; Printing ink related material; Printing ink, Colouring
Substance/Mixture		agents, dyes

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Eye irritation, Category 2	H302: Harmful if swallowed. H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

2.2 Label elements

Labelling (REGULATION (E Hazard pictograms	EC) No 1272/2008)	
Signal word	: Warning	•
Hazard statements	: H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precautionary statements	Prevention: P264 P273 P280 Response:	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	P391 Disposal:	Collect spillage.
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Copper

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
	231-159-6	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
	01-2119480154-42	H400	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

rsion			nt Date: 03.05.2024 e of first issue: 26.06.2017	7
			Aquatic Chronic 1; H410	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
refine	ates (petroleum), solvent- d middle; Gasoil — ecified	64741-91-9 919-029-3	Asp. Tox. 1; H304	>= 10 - <
zinc p (stabil	owder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - <
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Petrol	leum resins	64742-16-1 265-116-8	Aquatic Chronic 4; H413	>= 2.5 - <
	propyl-2,2- hyltrimethylene diisobutyrate	6846-50-0 229-934-9 01-2119451093-47	Repr. 2; H361d Aquatic Chronic 3; H412	>= 1 - < 2
octad	ecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - ·
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
amine	es, hydrogenated tallow alkyl	61788-45-2(90640- 32-7)	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 0.025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024	SDS Number: 102000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017	
		262-976-6 612-284-00-9	STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

:	Move the victim to fresh air.
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
:	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
:	Wash off immediately with soap and plenty of water.
:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks	: Harmful if swallowed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Special powder against metal fire Dry sand ABC powder Unsuitable extinguishing media Water High volume water jet Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	Do not allow run-off from fire fighting to enter drains or water
firefighting		COURSES.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024	SDS Number: 102000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017		
		Prevent further l	from entering drains. eakage or spillage if safe to do so. Intaminates rivers and lakes or drains inform rities.		
6.3 Method	Is and material for co	ontainment and clean	ing up		
Metho	ds for cleaning up	: Use mechanical	Use mechanical handling equipment.		
		Do not flush with Contain spillage absorbent mater vermiculite) and local / national re Soak up with ine acid binder, univ	sfer to properly labelled containers. n water. a, and then collect with non-combustible ial, (e.g. sand, earth, diatomaceous earth, place in container for disposal according to egulations (see section 13). ert absorbent material (e.g. sand, silica gel, versal binder, sawdust). , closed containers for disposal.		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against : fire and explosion	Keep away from heat and sources of ignition. No smoking.
	Normal measures for preventive fire protection.
Hygiene measures :	General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage : areas and containers	Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Versio 9.0	n	Revision Date: 30.04.2024		DS Number: 2000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017
				place. Containers resealed and kep precautions. Elec	ghtly closed in a dry and well-ventilated which are opened must be carefully t upright to prevent leakage. Observe label trical installations / working materials must echnological safety standards.
	Further information on storage conditions		:	Protect from hum	idity and water.
Advice on common storage		:	strongly acid mat	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.	
Dampness		:	Keep in a dry, co	ol and well-ventilated place.	
Further information on storage stability		:	No decompositio	n if stored and applied as directed.	
7.3 Sp	pecific	end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Dermal	Long-term systemic effects	137 mg/kg
	Workers	Dermal	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local	1 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

ersion)	Revision Date: 30.04.2024	SDS Number: 102000027895		Print Date: 03.05.2024 Date of first issue: 26.06.2017		
				effects		
		Consumers	Inhalation	Acute local effects	1 mg/m3	
		Consumers	Dermal	Long-term systemic effects	137 mg/kg	
		Consumers	Dermal	Acute systemic effects	273 mg/kg	
		Consumers	Oral	Long-term systemic effects	0.041 mg/kg	
	oowder — zinc (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3	
		Workers	Dermal	Long-term systemic effects	83 mg/kg	
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3	
		Consumers	Dermal	Long-term systemic effects	83 mg/kg	
		Consumers	Oral	Long-term systemic effects	0.83 mg/kg	
dimet	propyl-2,2- thyltrimethylene butyrate	Workers	Dermal	Long-term systemic effects	5.00 mg/kg	
	·	Workers	Inhalation	Long-term systemic effects	17.62 mg/m3	
		Consumers	Oral	Long-term systemic effects	5.00 mg/kg	
		Consumers	Dermal	Long-term systemic effects	5.00 mg/kg	
		Consumers	Inhalation	Long-term systemic effects	4.35 mg/m3	
	es, hydrogenated v alkyl	Workers	Inhalation	Long-term systemic effects	0.38 mg/m3	
		Workers	Inhalation	Long-term local effects	1 mg/m3	
		Workers	Inhalation	Acute local effects	1 mg/m3	
		Consumers	Inhalation	Long-term systemic effects	0.035 mg/m3	
		Consumers	Oral	Long-term systemic effects	0.04 mg/kg	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust	Fresh water	0.0206 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

ersion .0	Revision Date: 30.04.2024	SDS Number: 102000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017
(stabi	lised)		
(010.0		Marine water	0.0061 mg/l
		STP	0.100 mg/l
		Fresh water s	
		Marine sedim	
		Soil	35.6 mg/kg
dimet	propyl-2,2- hyltrimethylene putyrate	Fresh water	0.014 mg/l
	•	Marine water	0.0014 mg/l
		Fresh water s	
		Soil	1.05 mg/kg
		STP	3 mg/l
		Marine sedim	ent 0.529 mg/kg
		oral (seconda	ary poisoning) 83.3 mg/kg
amine alkyl	es, hydrogenated tallow	Fresh water	0.00026 mg/l
		Marine water	0.000026 mg/l
		Sewage treat	
		Fresh water s	sediment 3.76 mg/kg
		Marine sedim	
		Soil	10 mg/kg
		Intermittent R	elease 0.0016 mg/l

8.2 Exposure controls

Personal protective equipment Eye/face protection :	t Safety glasses Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing
Hand protection	problems.
Material :	Solvent-resistant gloves (butyl-rubber)
Remarks :	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date: 30.04.2024	SDS Number:	Print Date: 03.05.2024
9.0		102000027895	Date of first issue: 26.06.2017
	nd body protection ratory protection	concentration of Use suitable breat requires.	ing otection according to the amount and the dangerous substance at the work place. athing protection if workplace concentration Id conform to EN 14387

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	liquid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	> 21 mm2/s (40 °C)
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024		S Number: 2000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017
Vap	oour pressure	:	No data available	9
Vap	or Pressure for Compone	ents:		
D h	Distillates (petroleum), ydrotreated middle; Basoil — unspecified		4 hPa (40 °C)	
1 d	-isopropyl-2,2- imethyltrimethylene iisobutyrate	:	1.5 Pa (25 °C)	
а	mines, hydrogenated allow alkyl	:	<1 hPa (20 °C)	
	ative density	:	No data available	9
Der	nsity	:	1.4 g/cm3	
Rela	ative vapour density	:	No data available	2
	ticle characteristics Particle Size Distribution	:	No data available	
	er information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.		
		No decomposition if stored and applied as directed.		
10.4 Conditions to avoid				
Conditions to avoid	:	Do not allow evaporation to dryness.		
		No data available		
10.5 Incompatible materials				

10.6 Hazardous decomposition products

Thermal decomposition	:	Carbon monoxide, carbon dioxide and unburned
		hydrocarbons (smoke).

CECKART

METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aquita taxiaitu		
Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	: Acute toxicity estimate: 1,797 mg/kg Method: Calculation method	
Components:		
Copper:		
Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.	
Distillates (petroleum), so	lvent-refined middle; Gasoil — unspecified:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg	
zinc powder — zinc dust (stabilised):	
Acute oral toxicity	: (Rat): > 2,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 5.41 mg/l	
	Exposure time: 4 h	
	Test atmosphere: dust/mist	
1-isopropyl-2,2-dimethyltri	methylene diisobutyrate:	
Acute dermal toxicity		
	Method: OECD Test Guideline 402	
amines, hydrogenated tall	ow alkvi:	
Acute oral toxicity	: LD50 (Rat): > 2,000 - 5,000 mg/kg	
	Method: OECD Test Guideline 401	
Skin corrosion/irritation		
Not classified based on avail	ilable information.	
Product:		
Remarks	: May cause skin irritation in susceptible persons.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

ersion)	Revision Date: 30.04.2024	SDS Number 10200002789	
<u>Com</u>	ponents:		
Сорр	er:		
Rema		: May caus	e skin irritation in susceptible persons.
1-iso	propyl-2,2-dimethyltı	imethylene diis	obutyrate:
Spec	ies	: Rabbit	
	sure time	: 4 h	
Metho			st Guideline 404
Resu	lt	: No skin in	itation
octad	lecylamine:		
Asse	ssment	: Irritating t	o skin.
amin	es, hydrogenated ta	llow alkyl:	
Resu	lt	: Skin irritat	ion
Rema	arks	: May caus	e skin irritation in susceptible persons.
		on.	e irreversible eye damage.
<u>Com</u>	ponents:		
Сорр	er:		
Resu	lt	: Eye irritat	on
1-iso	propyl-2,2-dimethyltı	imethylene diis	obutyrate:
Spec	ies	: Rabbit	
•	sure time	: 72 h	
Metho			st Guideline 405
Resu	lt	: No eye irr	tation
octad	lecylamine:		
Asse	ssment	: Corrosive	
amin	es, hydrogenated ta	llow alkyl:	
Resu	lt	: Irreversibl	e effects on the eye
Rema	arks	: May caus	e irreversible eye damage.



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined middle; Gasoil - unspecified:

Carcinogenicity -	:	Classified based on the conditions cited in Nota N (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note N)

Reproductive toxicity

Not classified based on available information.

Components:

1-isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Reproductive toxicity -:Some evidence of adverse effects on development, based on
animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

octadecylamine:

Exposure routes	:	Ingestion
Target Organs	:	Liver, digestive system, Immune system
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

amines, hydrogenated tallow alkyl:

Target Organs	: Liver, Gastrointestinal tract, Immune system
Assessment	: The substance or mixture is classified as specific target organ
	toxicant, repeated exposure, category 2.



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

Aspiration toxicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined middle; Gasoil - unspecified:

May be fatal if swallowed and enters airways.

octadecylamine:

May be fatal if swallowed and enters airways.

amines, hydrogenated tallow alkyl:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Further information

Product:

Remarks	:	No data available

Components:

Copper:

Remarks : No data available

zinc powder — zinc dust (stabilised):

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Copper: M-Factor (Short-term (acute)	:	10
aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024	-	9S Number: 2000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017
	powder — zinc dust (st actor (Short-term (acute)		•	
aqua	tic hazard)	•		
	actor (Long-term onic) aquatic hazard)	:	1	
Ecot	oxicology Assessment			
Acut	e aquatic toxicity	:	Very toxic to a	quatic life.
Chro	nic aquatic toxicity	:	Very toxic to a	quatic life with long lasting effects.
Petro	pleum resins:			
Ecot	oxicology Assessment			
Chro	nic aquatic toxicity	:	May cause lon	g lasting harmful effects to aquatic life.
	propyl-2,2-dimethyltrim			
	city to daphnia and other tic invertebrates	:	(Daphnia (wat	er flea)): 2.46 mg/l
Ecot	oxicology Assessment			
Chro	nic aquatic toxicity	:	Harmful to aqu	atic life with long lasting effects.
octa	decylamine:			
	actor (Short-term (acute) tic hazard)	•	10	
M-Fa	actor (Long-term onic) aquatic hazard)	:	10	
Ecot	oxicology Assessment			
Acut	e aquatic toxicity	:	Very toxic to a	quatic life.
Chro	nic aquatic toxicity	:	Very toxic to a	quatic life with long lasting effects.
amir	nes, hydrogenated tallo	<i>n</i> a	kyl:	
	actor (Short-term (acute)	:	10	
	tic hazard) actor (Long-term		10	
	onic) aquatic hazard)	•		
Ecot	oxicology Assessment			
	e aquatic toxicity	:	Very toxic to a	quatic life.
Chro	nic aquatic toxicity	:	Very toxic to a	quatic life with long lasting effects.

Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024	SDS Number: 102000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017	

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

Components:

Copper:

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

zinc powder — zinc dust (stabilised):

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

amines, hydrogenated tallow alkyl:

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024	SDS Number: 102000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017
Europe	ean Waste Catalogue	: 08 03 12* - wa	aste ink containing dangerous substances
13.1 Waste	treatment methods		
Produc	ot	courses or the Do not contar chemical or us	ninate ponds, waterways or ditches with
Contar	ninated packaging	•	ng contents. unused product. empty containers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper metal powder)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper metal powder)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (Copper metal powder)
14.3 Transport hazard class(es)		
		Class Subsidiary risks
ADR	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
ADR		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Version 9.0	Revision Date: 30.04.2024	-	DS Number: 2000027895	Print Date: 03.05.2024 Date of first issue: 26.06.2017
Tur	nnel restriction code	:	(-)	
Lat	DG cking group pels nS Code	:	III 9 F-A, S-F	
Pa airc	FA (Cargo) cking instruction (cargo craft) cking instruction (LQ)	:	964 Y964	
Pa	cking group pels	:	1904 III 9	
Pa (pa Pa Pa	FA (Passenger) cking instruction assenger aircraft) cking instruction (LQ) cking group pels	:	964 Y964 III 9	
14.5 Environmental hazards				
AD En	R vironmentally hazardous	:	yes	
I M I Ma	DG Irine pollutant	:	yes	
14.6 Special precautions for user Remarks :		er :	packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the
the market and use of certain dangerous substances,		following entries should be

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 07 4871 Supergloss 871

Versio 9.0	n Revision Date: 30.04.2024	SDS Number: 102000027895		ate: 03.05.2024 f first issue: 26.06.2017
mixtures and articles (Annex XVII)				considered: Number on list 3 Distillates (petroleum), hydrotreated middle; Gasoil — unspecified (Number on list 3) 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate (Number on list 3)
	UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation			Not applicable
Ti R	The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)			Not applicable
R	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable
U	K REACH List of substance Annex XIV)	s subject to authorisati	on :	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302 H304 H315 H318 H319 H361d H373	:	Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated		
H400 H410 H412 H413		exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. May cause long lasting harmful effects to aquatic life.		
Full text of other abbreviations				
Acute Tox. Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit. Repr. Skin Irrit. STOT RE GB EH40		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Reproductive toxicity Skin irritation Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits		



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date: 30.04.2024	SDS Number:	Print Date: 03.05.2024
9.0		102000027895	Date of first issue: 26.06.2017
GB EH40 / TWA GB EH40 / STEL			osure limit (8-hour TWA reference period) osure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of th	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is



METALSTAR PANTONE 07 4871 Supergloss 871

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
9.0	30.04.2024	102000027895	Date of first issue: 26.06.2017

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN