according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

Version Revision Date: SDS Number: Print Date: 22.10.2022

102000035954 1.0 21.10.2022 Date of first issue: 21.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name STAPA DL CHROMAL V/80 Aluminium Paste

Product code 053157VV0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Colouring agents, pigments

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company **ECKART GmbH**

Guentersthal 4 91235 Hartenstein

Telephone : +499152770

Telefax : +499152777008

E-mail address of person responsible for the SDS

: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe)

Call and response in your language is possible.

Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC)	(% w/w)
	Index-No.	No 1272/2008	
	Registration number		
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	>= 50 - <= 100
	231-072-3		
	013-002-00-1		
	01-2119529243-45		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move the victim to fresh air.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry sand

Special powder against metal fire

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

Version Revision Date: SDS Number: Print Date: 22.10.2022

102000035954 1.0 21.10.2022 Date of first issue: 21.10.2022

Unsuitable extinguishing

media

Water Foam

ABC powder

Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Personal precautions

> Use personal protective equipment. Remove all sources of ignition.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Use mechanical handling equipment. Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Keep away from heat and sources of ignition.

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

Avoid dust formation.

Ensure adequate ventilation.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential.

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in

use. Keep away from sources of ignition - No smoking.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage conditions

Protect from humidity and water. Do not allow to dry.

Advice on common storage :

Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

No materials to be especially mentioned.

Further information on

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable	10 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

1	dust)		
Further information	For the purposes of these limits, re those fractions of airborne dust wh undertaken in accordance with the General methods for sampling and thoracic and inhalable aerosols., Thazardous to health includes dust concentration in air equal to or gre inhalable dust or 4 mg.m-3 8-hour any dust will be subject to COSHITHESE levels. Some dusts have bet to these must comply with the approntain particles of a wide range of fate of any particular particle after and the body response that it elicit particle. HSE distinguishes two siztermed 'inhalable' and 'respirable'. fraction of airborne material that eand is therefore available for depondust approximates to the fraction to fithe lung. Fuller definitions and eMDHS14/4., Where dusts contain WEL, all the relevant limits should short-term exposure limit is listed,	hich will be collected when see methods described in MDI d gravimetric analysis or restricted that the cost of any kind when present a seater than 10 mg.m-3 8-hour TWA of respirable dust. The if people are exposed to deen assigned specific WELs propriate limits., Most industricted to the cost of sizes. The behaviour, dependently into the human respirates, depend on the nature and the penetrates to the gas explanatory material are given components that have their the complied with., Where respirations or size that the complied with., Where respirations or size that the complied with.	sampling is HS14/4 spirable, substance it a r TWA of his means that ust above and exposure rial dusts cosition and atory system, id size of the purposes es to the luring breathing it. Respirable exchange region en in r own assigned no specific
	exposure limit should be used.	4 m m/m 2	OD ELIAO
	TWA (Respirable dust)	4 mg/m3	GB EH40
Further information	For the purposes of these limits, re those fractions of airborne dust when undertaken in accordance with the General methods for sampling and thoracic and inhalable aerosols., Thazardous to health includes dust concentration in air equal to or greinhalable dust or 4 mg.m-3 8-hour any dust will be subject to COSHI these levels. Some dusts have beto these must comply with the approximation particles of a wide range of fate of any particular particle after and the body response that it elicit particle. HSE distinguishes two siztermed 'inhalable' and 'respirable'. fraction of airborne material that eand is therefore available for depodust approximates to the fraction to fithe lung. Fuller definitions and empty and the lung. Fuller definitions and empty and the lung. Fuller definitions and empty and the lung is the relevant limits should short-term exposure limit is listed, exposure limit should be used.	hich will be collected when see methods described in MDI d gravimetric analysis or restricted that the cost of any kind when present a seater than 10 mg.m-3 8-hour TWA of respirable dust. The if people are exposed to deen assigned specific WELs propriate limits., Most indust of sizes. The behaviour, dependently into the human respirates, depend on the nature and the penetrates to the gas explanatory material are given components that have their the complied with., Where respirations or size that the complied with., Where respirations or size that the complied with.	sampling is HS14/4 spirable, substance it a r TWA of his means that ust above and exposure rial dusts position and atory system, id size of the purposes les to the luring breathing it. Respirable exchange region en in r own assigned no specific

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg
	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
Soybean oil, epoxidized	Workers	Skin contact	Acute systemic effects	10 mg/kg
	Workers	Inhalation	Acute systemic effects	70 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.7 mg/kg
	Workers	Inhalation	Long-term systemic effects	11.9 mg/m3
	Consumers	Ingestion	Acute systemic effects	5 mg/kg
	Consumers	Skin contact	Acute systemic effects	5 mg/kg
	Consumers	Inhalation	Acute systemic effects	17.5 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0.8 mg/kg
	Consumers	Skin contact	Long-term systemic effects	0.8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2.8 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Material : Solvent-resistant gloves

Remarks : Take note of the information given by the producer

concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective

gloves.

Skin and body protection : Long sleeved clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective suit

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

No personal respiratory protective equipment normally

required.

Environmental exposure controls

Water : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Pasty solid

Colour : silver

Odour : characteristic

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Auto-ignition temperature : No data available

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

Smoldering temperature : No data available

Decomposition temperature : No data available

Explosive properties : Not explosive

Not explosive

Oxidizing properties : No data available

Upper explosion limit / Upper

flammability limit

: No data available

Lower explosion limit / Lower

flammability limit

: No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Decomposition temperature : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with alkalis, acids, halogenes and oxidizing agents.

Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of

hydrogen.

Vapour/air-mixtures are explosive at intense warming.

Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : Do not allow to dry.

No data available

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

Highly halogenated compounds

10.6 Hazardous decomposition products

Contact with water or humid

air

: This information is not available.

Thermal decomposition : This information is not available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

Version Revision Date: SDS Number: Print Date: 22.10.2022

1.0 21.10.2022 102000035954 Date of first issue: 21.10.2022

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

12.6 Other adverse effects

Product:

Additional ecological

information

: No data available

SECTION 13: Disposal considerations

European Waste Catalogue : 12 01 04 - non-ferrous metal dust and particles

European Waste Catalogue : 10 03 21 - other particulates and dust (including ball-mill dust)

containing hazardous substances

13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

Version Revision Date: SDS Number: Print Date: 22.10.2022

1.0 21.10.2022 102000035954 Date of first issue: 21.10.2022

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic : Not applicable

pollutants (recast)

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great

Britain)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, following entries should be

mixtures and articles (Annex XVII) considered: aluminium powder (stabilised)

(Number on list 40)

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid.

Full text of other abbreviations

Flam. Sol. : Flammable solids

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

according to Regulation (EC) No. 1907/2006



STAPA DL CHROMAL V/80 Aluminium Paste

 Version
 Revision Date:
 SDS Number:
 Print Date:
 22.10.2022

 1.0
 21.10.2022
 102000035954
 Date of first issue:
 21.10.2022

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN