

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
7.0	25.01.2023	102000020122	Date of first issue: 03.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: STANDART RESIST LT Rich Pale Gold Bronze Powder
Product code	: 069526C20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



STANDART RESIST LT Rich Pale Gold Bronze Powder

Version 7.0	Revision Date: 25.01.2023		SDS Number: 02000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014
Hazaro	l pictograms	:		
Signal	word	:	Warning	×
Hazaro	statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal: P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Copper

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 50 - <= 100
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	



ersion 0	Revision Date: 25.01.2023	SDS Number: 102000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
	owder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174	Aquatic Acute 1; >= 10 - < 2 H400 Aquatic Chronic 1; H410	20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move the victim to fresh air.				
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance.				
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. 				
In case of skin contact	: Wash off immediately with soap and plenty of water.				
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 				
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 				
4.2 Most important symptoms and effects, both acute and delayed					

: Harmful if swallowed. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Risks



Ver 7.0	sion	Revision Date: 25.01.2023		OS Number: 2000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014
Suitable extinguishing media		:	Special powder against metal fire Dry sand ABC powder		
	Unsuita media	able extinguishing	:	Water High volume wate Carbon dioxide (C	
5.2	Special	hazards arising from	the	e substance or mi	xture
	Specif firefigh	ic hazards during ting	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
5.3	Advice	for firefighters			
		l protective equipment fighters	:	Wear self-contair necessary.	ned breathing apparatus for firefighting if
	Further	information	:	Standard procedu	ure for chemical fires.
				must not be disch Fire residues and	ated fire extinguishing water separately. This narged into drains. contaminated fire extinguishing water must accordance with local regulations.

SECTION 6: Accidental release measures

• • •	e equipment and emergency procedures Use personal protective equipment. Evacuate personnel to safe areas. Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
6.2 Environmental precautions Environmental precautions :	The product should not be allowed to enter drains, water
	courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Use mechanical handling equipment.
-------------------------	---	------------------------------------



Version	Revision Date: 25.01.2023	SDS Number:	Print Date: 16.04.2024
7.0		102000020122	Date of first issue: 03.01.2014

Pick up and transfer to properly labelled containers.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ad	vice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	vice on protection against and explosion	:	Normal measures for preventive fire protection.
			Avoid dust formation.
Hy	giene measures	:	General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Con	ditions for safe storage, in	nclu	uding any incompatibilities
	quirements for storage as and containers	:	Electrical installations / working materials must comply with the technological safety standards.
			Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
			Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
	rther information on prage conditions	:	Protect from humidity and water.



Version 7.0	Revision Date: 25.01.2023		DS Number: 02000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014	
Advice on common storage		:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.		
Dampness		:	Keep in a dry, cool and well-ventilated place.		
Further information on storage stability		:	Keep in a dry place. No decomposition if stored and applied as directed.		
7.3 Specific end use(s)					

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40			
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40			
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40			
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40			
		TWA (Respirable fraction)	4 mg/m3	GB EH40			
silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40			
	when sampli MDHS14/4 G respirable, th substance ha concentration inhalable dus any dust will levels. Some must comply particles of a particular par response tha distinguishes and 'respirab material that available for	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller					



Version 7.0	Revision Date: 25.01.2023	SDS Number: 102000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014	
	25.01.2023 defir conta shou a fig Furth inhal wher MDH respi subs conc inhal any c level must partie respi distir and ' mate avail	102000020122 aitions and explanatory ain components that had aid be complied with., W ure three times the long TWA (Respindust) able dust are those france a sampling is undertaked IS14/4 General method able dust are those france a sampling is undertaked IS14/4 General method able dust or 4 mg.m-3 dust will be subject to 0 s. Some dusts have been comply with the appropriation of a wide range of cular particle after entry onse that it elicits, dependent able for deposition in the	Date of first issue: 03.01.2014 material are given in MDHS14/4., Where dusts we their own assigned WEL, all the relevant lim where no specific short-term exposure limit is lis g-term exposure limit should be used. rable 2.4 mg/m3 g purposes of these limits, respirable dust and ctions of airborne dust which will be collected en in accordance with the methods described in ds for sampling and gravimetric analysis or alable aerosols., The COSHH definition of a alth includes dust of any kind when present at a o or greater than 10 mg.m-3 8-hour TWA of 8-hour TWA of respirable dust. This means that COSHH if people are exposed to dust above the en assigned specific WELs and exposure to the or greater than 10 mg.m-3 8-hour TWA of 8-hour TWA of respirable dust. This means that COSHH if people are exposed to dust above the or greater than 10 mg.mos that COSHH if people are exposed to dust above the en assigned specific WELs and exposure to the or for limits., Most industrial dusts contain sizes. The behaviour, deposition and fate of an v into the human respiratory system, and the bo end on the nature and size of the particle. HSE <td>: se se se y dy es</td>	: se se se y dy es
	defir conta shou	itions and explanatory ain components that ha Id be complied with., W	es to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts we their own assigned WEL, all the relevant lim Where no specific short-term exposure limit is lis g-term exposure limit should be used.	its

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3



Ver 7.0	sion Revision Date: 25.01.2023	SDS Number: 102000020122		Print Date: 16.04.2024 Date of first issue: 03.01.2014		
		Workers	Skin cont	act	Long-term systemic effects	83 mg/kg
		Consumers	Inhalation		Long-term systemic effects	2.5 mg/m3
		Consumers	Skin cont	act	Long-term systemic effects	83 mg/kg
		Consumers	Ingestion		Long-term systemic effects	0.83 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg

8.2 Exposure controls

Personal protective equipme Eye/face protection Hand protection Material		Safety glasses Wear face-shield and protective suit for abnormal processing problems. Leather
Remarks Skin and body protection	:	Leather gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Recommended preventive skin protection The suitability for a specific workplace should be discussed with the producers of the protective gloves. Long sleeved clothing Safety shoes
Respiratory protection	:	Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place. Use suitable breathing protection if workplace concentration requires.



Version 7.0	Revision Date: 25.01.2023	SDS Number: 102000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014			
Respirator with a dust filter						
P1 filter SECTION 9: Physical and chemical properties						

9.1 Information on basic physical and chemical properties

Physical state	ап :	powder
Colour	:	gold
Odour	:	odourless
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	ca. 8.5 g/cm3
Relative vapour density	:	No data available



Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
7.0	25.01.2023	102000020122	Date of first issue: 03.01.2014

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		No hazards to be specially mentioned.
		No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
<u>Product:</u> Acute oral toxicity		Acute toxicity estimate: 623.95 mg/kg
	•	Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dust (st	abi	•
Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l



Version 7.0	Revision Date: 25.01.2023	SDS Number: 102000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014
		Exposure time Test atmosphe	
-	i n corrosion/irritation t classified based on avai	lable information.	
	<mark>oduct:</mark> marks	: May cause ski	n irritation in susceptible persons.
<u>Co</u>	mponents:		
	pper: marks	: May cause ski	n irritation in susceptible persons.
	rious eye damage/eye i uses serious eye irritatior		
	oduct: marks	: Eye irritation	
<u>Co</u>	mponents:		
	pper: sult	: Eye irritation	
Re	spiratory or skin sensiti	sation	
-	i n sensitisation t classified based on avai	lable information.	
	spiratory sensitisation t classified based on avai	lable information.	
	rm cell mutagenicity t classified based on ava	lable information.	
	r cinogenicity t classified based on ava	lable information.	
	productive toxicity t classified based on ava	lable information.	
	OT - single exposure t classified based on avai	lable information.	
	OT - repeated exposure t classified based on ava		



Version 7.0	Revision Date: SDS Number: 25.01.2023 102000020122		Print Date: 16.04.2024 Date of first issue: 03.01.2014		
Aspiration toxicity Not classified based on available information.					
11.2 Information on other hazards					

Further information

Product:

Remarks

: No data available

Components:

Copper:

Remarks

: No data available

zinc powder — zinc dust	(stabili	ised):
Remarks	:	No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Copper:

Copper:					
M-Factor (Short-term (acute) aquatic hazard)	:	10			
M-Factor (Long-term (chronic) aquatic hazard)	:	10			
Ecotoxicology Assessment					
Acute aquatic toxicity	:	Very toxic to aquatic life.			
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.			
zinc powder — zinc dust (stabilised):					
Ecotoxicology Assessment					

Acute aquatic toxicity	:	Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available



Version 7.0	Revision Date: 25.01.2023	SDS Number 10200002012	
12.4 Mobi l No da	l ity in soil Ita available		
12.5 Resul	Its of PBT and vPvE	assessment	
<u>Produ</u>	<u>ıct:</u>		
Asses	sment	to be eith	stance/mixture contains no components considered er persistent, bioaccumulative and toxic (PBT), or istent and very bioaccumulative (vPvB) at levels of igher.
	crine disrupting pro ta available	operties	
12.7 Other	adverse effects		
<mark>Prodι</mark> Additi inform	onal ecological	unprofes	nmental hazard cannot be excluded in the event of sional handling or disposal. c to aquatic life with long lasting effects.
<u>Comp</u>	onents:		
Сорр	er:		
Additi inform	onal ecological nation	unprofes	nmental hazard cannot be excluded in the event of sional handling or disposal. c to aquatic life with long lasting effects.
zinc p	oowder — zinc dust	(stabilised):	
-	onal ecological	: An enviro unprofess	nmental hazard cannot be excluded in the event of sional handling or disposal. c to aquatic life with long lasting effects.

European Waste Catalogue European Waste Catalogue	 12 01 04 - non-ferrous metal dust and particles 10 03 21 - other particulates and dust (including ball-mill dust) containing hazardous substances
13.1 Waste treatment methods	
Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations.



Version 7.0	Revision Date: 25.01.2023		DS Number: 2000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014
Conta	aminated packaging	:	Empty remaining Dispose of as un Do not re-use en In accordance wi	used product.
SECTIO	N 14: Transport infor	ma	tion	
14.1 UN n	umber or ID number			
ADR		:	UN 3077	
IMDG	ì	:	UN 3077	
ΙΑΤΑ		:	UN 3077	
14.2 UN p	roper shipping name			
ADR		:	ENVIRONMENTA N.O.S. (Copper metal po	ALLY HAZARDOUS SUBSTANCE, SOLID,
IMDG	ì	:	ENVIRONMENTA N.O.S. (Copper metal po	ALLY HAZARDOUS SUBSTANCE, SOLID,
ΙΑΤΑ		:	Environmentally (Copper metal po	hazardous substance, solid, n.o.s. owder)
14.3 Trans	sport hazard class(es)			
			Class	Subsidiary risks
ADR		:	9	
IMDG	ì	:	9	
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
Class Hazar Label	ing group ification Code rd Identification Number s el restriction code	: : :	III M7 90 9 (-)	
Label	ing group s Code	: : :	III 9 F-A, S-F IMDG Code segr salts	regation group 7 - Heavy metals and their



Version 7.0	Revision Date: 25.01.2023		DS Number: 02000020122	Print Date: 16.04.2024 Date of first issue: 03.01.2014
IA	ΓA (Cargo)			
	cking instruction (cargo craft)	:	956	
Pa	cking instruction (LQ)	:	Y956	
Pa	cking group	:	III	
Lal	bels	:	9	
	TA (Passenger)			
Pa	cking instruction assenger aircraft)	:	956	
	cking instruction (LQ)		Y956	
	cking group	:	III	
	bels	÷	9	
14.5 Er	vironmental hazards			
AD En	R vironmentally hazardous	:	yes	
IM	DG			
	arine pollutant	:	yes	
14.6 Sp	pecial precautions for use	er		
Re	marks	:	packagings cont	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.
-		,		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	:	Not applicable
mixtures and articles (Annex XVII) Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable



Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
7.0	25.01.2023	102000020122	Date of first issue: 03.01.2014

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

GB EH40 / TWA

GB EH40 / STEL

H302 H319 H400 H410	:	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Eye Irrit.	:	Eye irritation	
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits	

: Long-term exposure limit (8-hour TWA reference period)

: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-



Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
7.0	25.01.2023	102000020122	Date of first issue: 03.01.2014

Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

