

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : ENERGYSAFE Aurum Solar
Material number : 053478L10

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company :

Telephone :
Telefax :
E-mail address : msds.eckart@altana.com
Responsible/issuing person

1.4 Emergency telephone number**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification**GHS Classification**

Not a hazardous substance or mixture.

GHS-Labeling

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Hazardous components which must be listed on the label**SECTION 3: Composition/information on ingredients**

Substance name : energysafe aurum solar

Substance No. :

Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
aluminium powder (stabilised)	7429-90-5 231-072-3	Flam. Sol.;1;H228	1 - 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Remove contact lenses.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

This information is not available.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.

6.2 Environmental precautions

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

This information is not available.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Do not flush with water.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

This information is not available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	AGW (Inhalable fraction)	1 mg/m ³	2009-07-02	DE TRGS 900
Peak-limit: excursion factor (category)	4;(II)				
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Skin absorptionWhen there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	AGW (Inhalable fraction)	1 mg/m ³	2009-07-02	DE TRGS 900
Peak-limit: excursion factor (category)	4;(II)				
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Skin absorptionWhen there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2000-06-16	2000/39/EC
Further information	Indicative				
Polyethylene	9002-88-4	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
Polyethylene	9002-88-4	AGW (Alveolate fraction)	1,25 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
aluminium powder (stabilised)	7429-90-5	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
aluminium powder (stabilised)	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
diiron trioxide	1309-37-1	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
diiron trioxide	1309-37-1	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
diiron trioxide	1309-37-1	AGW (Alveolate fraction)	2,6 mg/m3	2009-02-16	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances			

United States of America (USA):

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m3	2007-01-01	
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m3	2007-01-01	
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m3	2010-03-01	
Fluorphlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m3	2010-03-01	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

(Mg ₃ K[AIF ₂ O(SiO ₃) ₃])					
Fluorophlogopite (Mg ₃ K[AIF ₂ O(SiO ₃) ₃])	12003-38-2	TWA (Respirable fraction)	1 mg/m ³	2013-03-01	
Fluorophlogopite (Mg ₃ K[AIF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	1989-01-19	
Fluorophlogopite (Mg ₃ K[AIF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	1989-01-19	
Fluorophlogopite (Mg ₃ K[AIF ₂ O(SiO ₃) ₃])	12003-38-2	PEL	2,5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2011-07-01	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

titanium dioxide	13463-67-7	TWA (Total dust)	10 mg/m ³	1989-01-19	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA	10 mg/m ³	2014-03-01	
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable)	5 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	15 mg/m ³	2012-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (total)	10 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
aluminium powder (stabilised)	7429-90-5	PEL (Total dust)	10 mg/m ³	2014-11-26	
aluminium powder (stabilised)	7429-90-5	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	1 mg/m ³	2008-01-01	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

aluminium powder (stabilised)	7429-90-5	TWA	5 mg/m ³	2005-09-01	
aluminium powder (stabilised)	7429-90-5	TWA (Total)	15 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	5 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	15 mg/m ³	2011-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (respirable fraction)	5 mg/m ³	2011-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (Total dust)	15 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (respirable dust fraction)	5 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (welding fumes)	5 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (pyro powders)	5 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	1 mg/m ³	2013-03-01	
aluminium powder (stabilised)	7429-90-5	TWA (Fumes)	5 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	PEL (Welding fumes)	5 mg/m ³	2017-10-02	
aluminium powder	7429-90-5	PEL (Pyro powders)	5 mg/m ³	2017-10-02	

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

(stabilised)					
diiron trioxide	1309-37-1	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
diiron trioxide	1309-37-1	TWA (total dust)	15 mg/m3	2012-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	5 mg/m3	2012-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
diiron trioxide	1309-37-1	PEL (Total dust)	10 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	PEL (respirable dust fraction)	5 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	TWA (Respirable fraction)	5 mg/m3	2007-01-01	
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m3	2011-07-01	
diiron trioxide	1309-37-1	TWA (total dust)	15 mg/m3	2011-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	5 mg/m3	2011-07-01	
diiron trioxide	1309-37-1	TWA (dust and fume)	5 mg/m3	2013-10-08	
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m3	1989-01-19	
diiron trioxide	1309-37-1	PEL (Total dust)	10 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	PEL (respirable dust fraction)	5 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	PEL (Fumes)	5 mg/m3	2014-11-26	

United States of America (USA):

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Fluorophlogopite (Mg ₃ K[AlF ₂	12003-38-2	TWA	2,5 mg/m3	2007-01-01	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

O(SiO ₃) ₃)					
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2007-01-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2010-03-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2010-03-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA (Respirable fraction)	1 mg/m ³	2013-03-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	1989-01-19	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	1989-01-19	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	PEL	2,5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
titanium	13463-67-	TWA (respirable)	15 Million particles	2012-07-01	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

dioxide	7	fraction)	per cubic foot		
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2011-07-01	
titanium dioxide	13463-67-7	TWA (Total dust)	10 mg/m ³	1989-01-19	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA	10 mg/m ³	2014-03-01	
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable)	5 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	15 mg/m ³	2012-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (total)	10 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
aluminium	7429-90-5	TWA (respirable)	15 Million particles	2012-07-01	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

powder (stabilised)		fraction)	per cubic foot		
aluminium powder (stabilised)	7429-90-5	PEL (Total dust)	10 mg/m ³	2014-11-26	
aluminium powder (stabilised)	7429-90-5	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	1 mg/m ³	2008-01-01	
aluminium powder (stabilised)	7429-90-5	TWA	5 mg/m ³	2005-09-01	
aluminium powder (stabilised)	7429-90-5	TWA (Total)	15 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	5 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (total dust)	15 mg/m ³	2011-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (respirable fraction)	5 mg/m ³	2011-07-01	
aluminium powder (stabilised)	7429-90-5	TWA (Total dust)	15 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (respirable dust fraction)	5 mg/m ³	1989-01-19	
aluminium powder (stabilised)	7429-90-5	TWA (welding fumes)	5 mg/m ³	2013-10-08	
aluminium powder (stabilised)	7429-90-5	TWA (pyro powders)	5 mg/m ³	2013-10-08	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

aluminium powder (stabilised)	7429-90-5	TWA (Respirable fraction)	1 mg/m3	2013-03-01	
aluminium powder (stabilised)	7429-90-5	TWA (Fumes)	5 mg/m3	1989-01-19	
aluminium powder (stabilised)	7429-90-5	PEL (Welding fumes)	5 mg/m3	2017-10-02	
aluminium powder (stabilised)	7429-90-5	PEL (Pyro powders)	5 mg/m3	2017-10-02	
diiron trioxide	1309-37-1	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
diiron trioxide	1309-37-1	TWA (total dust)	15 mg/m3	2012-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	5 mg/m3	2012-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
diiron trioxide	1309-37-1	PEL (Total dust)	10 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	PEL (respirable dust fraction)	5 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	TWA (Respirable fraction)	5 mg/m3	2007-01-01	
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m3	2011-07-01	
diiron trioxide	1309-37-1	TWA (total dust)	15 mg/m3	2011-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	5 mg/m3	2011-07-01	
diiron trioxide	1309-37-1	TWA (dust and fume)	5 mg/m3	2013-10-08	
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m3	1989-01-19	
diiron trioxide	1309-37-1	PEL (Total dust)	10 mg/m3	2014-11-26	

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

diiron trioxide	1309-37-1	PEL (respirable dust fraction)	5 mg/m3	2014-11-26	
diiron trioxide	1309-37-1	PEL (Fumes)	5 mg/m3	2014-11-26	

8.2 Exposure controls
Personal protective equipment

Eye protection : Safety glasses

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: natural colour
Odour	: No data available
pH	: No data available
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Bulk density	: No data available
Flammability (solid, gas)	: Will not burn
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Density	: No data available
Water solubility	: No data available
Miscibility with water	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No data available

Other information : No data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product

No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects**Product:**Additional ecological information : No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
In accordance with local and national regulations.

SECTION 14: Transport information**14.1 UN number****14.2 Proper shipping name****14.3 Transport hazard class****14.4 Packing group**

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

14.5 Environmental hazards**14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information**Full text of H-Statements**

H228 : Flammable solid.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

ENERGYSAFE Aurum Solar

Version 2.0

Revision Date 05.12.2019

Print Date 07.08.2020

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.